

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

Vedlegg 1. Ekskluderte publikasjoner

Ingen SDQ-algoritme

- Abebe, D. S., Lien, L., & Hjelde, K. H. (2014). What we know and don't know about mental health problems among immigrants in Norway. *Journal of immigrant and minority health / Center for Minority Public Health*, 16(1), 60-67. doi:10.1007/s10903-012-9745-9
- Alfstad, K. A., Clench-Aas, J., Van Roy, B., Mowinckel, P., Gjerstad, L., & Lossius, M. I. (2011). Psychiatric symptoms in Norwegian children with epilepsy aged 8-13 years: effects of age and gender? *Epilepsia*, 52(7), 1231-1238. doi:10.1111/j.1528-1167.2011.03042.x
- Allik, H., Larsson, J. O., & Smedje, H. (2006a). Health-related quality of life in parents of school-age children with Asperger Syndrome or High-Functioning Autism. *Health and quality of life outcomes*, 4, 1. doi:10.1186/1477-7525-4-1
- Allik, H., Larsson, J. O., & Smedje, H. (2006b). Insomnia in school-age children with Asperger syndrome or high-functioning autism. *BMC Psychiatry*, 6(18). doi:http://dx.doi.org/10.1186/1471-244X-6-18
- Anmyr, L., Larsson, K., Olsson, M., & Freijd, A. (2012). Strengths and difficulties in children with cochlear implants - Comparing self-reports with reports from parents and teachers. *International Journal of Pediatric Otorhinolaryngology*, 76(8), 1107-1112. doi:10.1016/j.ijporl.2012.04.009
- Anmyr, L., Olsson, M., Freijd, A., & Larsson, K. (2015). Sense of coherence, social networks, and mental health among children with a cochlear implant. *International Journal of Pediatric Otorhinolaryngology*, 79(4), 610-615. doi:10.1016/j.ijporl.2015.02.009
- Balazs, J., Miklosi, M., Keresztesy, A., Hoven, C. W., Carli, V., Wasserman, C., . . . Wasserman, D. (2013). Adolescent subthreshold-depression and anxiety: psychopathology, functional impairment and increased suicide risk. *Journal of child psychology and psychiatry, and allied disciplines*, 54(6), 670-677. doi:10.1111/jcpp.12016
- Banzer, R., Haring, C., Buchheim, A., Oehler, S., Carli, V., Hoven, C. W., . . . Wasserman, D. (2015). Risk factors and comorbidities for occasional and daily smoking in european adolescents: Results of the seyle project. *European Psychiatry*, 30, 515.
- Becker, A., Steinhausen, H. C., Baldursson, G., Dalsgaard, S., Lorenzo, M. J., Ralston, S. J., . . . Vlasveld, L. (2006). Psychopathological screening of children with ADHD: Strengths and difficulties questionnaire in a pan-European study. *European Child and Adolescent Psychiatry*, 15(SUPPL. 1), I/56-I/62. doi:http://dx.doi.org/10.1007/s00787-006-1008-7
- Bergström, M., Fransson, E., Hjern, A., Köhler, L., & Wallby, T. (2014). Mental health in Swedish children living in joint physical custody and their parents' life satisfaction: a cross-sectional study. *Scandinavian Journal of Psychology*, 55(5), 433-439. doi:10.1111/sjop.12148
- Bjereld, Y., Daneback, K., Gunnarsdottir, H., & Petzold, M. (2015). Mental health problems and social resource factors among bullied children in the Nordic countries: a population based cross-sectional study. *Child Psychiatry & Human Development*, 46(2), 281-288. doi:http://dx.doi.org/10.1007/s10578-014-0468-0
- Bjorgaas, H. M., Elgen, I., Boe, T., & Hysing, M. (2013). Mental health in children with cerebral palsy: does screening capture the complexity? *TheScientificWorldJournal*, 2013, 468402. doi:10.1155/2013/468402
- Bjornsdotter, A., Enebrink, P., & Ghaderi, A. (2013). Psychometric properties of online administered parental strengths and difficulties questionnaire (SDQ), and normative data based on combined online and paper-and-pencil administration. *Child and Adolescent Psychiatry and Mental Health*, 7(1). doi:http://dx.doi.org/10.1186/1753-2000-7-40
- Blom, E. H., Larsson, J. O., Serlachius, E., & Ingvar, M. (2010). The differentiation between depressive and anxious adolescent females and controls by behavioural self-rating scales. *Journal of Affective Disorders*, 122(3), 232-240. doi:10.1016/j.jad.2009.07.006
- Boe, T., Sivertsen, B., Heiervang, E., Goodman, R., Lundervold, A. J., & Hysing, M. (2014). Socioeconomic Status and Child Mental Health: The Role of Parental Emotional Well-Being and Parenting Practices. *Journal of Abnormal Child Psychology*, 42(5), 705-715. doi:10.1007/s10802-013-9818-9

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

- Boman, F., Stafstrom, M., Lundin, N., Moghadassi, M., Tornhage, C. J., & Ostergren, P. O. (2015). Comparing parent and teacher assessments of mental health in elementary school children. doi:10.1177/1403494815610929
- Carli, V., Wasserman, C., Sarchiapone, M., Hoven, C., & Wasserman, D. (2013). Risk behaviours and psychiatric symptoms among adolescents in European schools. *European Neuropsychopharmacology*, 23(Journal Article), S612-S613. doi:http://dx.doi.org/10.1016/S0924-977X%2813%2970973-8
- Carli, V., Wasserman, C., Wasserman, D., Sarchiapone, M., Apter, A., Balazs, J., . . . Hoven, C. W. (2013). The saving and empowering young lives in Europe (SEYLE) randomized controlled trial (RCT): methodological issues and participant characteristics. *BMC PUBLIC HEALTH*, 13(Journal Article), 479. doi:http://dx.doi.org/10.1186/1471-2458-13-479
- Colver, A., Rapp, M., Eisemann, N., Ehlinger, V., Thyen, U., Dickinson, H. O., . . . Arnaud, C. (2015). Self-reported quality of life of adolescents with cerebral palsy: a cross-sectional and longitudinal analysis. *The Lancet*, 385(9969), 705-716. doi:http://dx.doi.org/10.1016/S0140-6736(14)61229-0
- Dammeyer, J. (2010). Psychosocial development in a Danish population of children with cochlear implants and deaf and hard-of-hearing children. *Journal of Deaf Studies and Deaf Education*, 15(1), 50-58. doi:http://dx.doi.org/10.1093/deafed/enp024
- deKeyser, L., Svedin, C. G., Agnafors, S., Bladh, M., & Sydsjo, G. (2014). Multi-informant reports of mental health in Swedish-born children of immigrants and children born to non-immigrants - the SESBiC-study. *BMC Pediatrics*, 14(1). doi:http://dx.doi.org/10.1186/1471-2431-14-95
- Durkee, T., Kaess, M., Carli, V., Sarchiapone, M., Wasserman, C., Hoven, C., & Wasserman, D. (2013). Pathological internet use among european adolescents: Psychopathology and self-destructive behaviors. *European Psychiatry*, 28.
- Egelund, T., & Lausten, M. (2009). Prevalence of mental health problems among children placed in out-of-home care in Denmark. *Child & Family Social Work*, 14(2), 156-165. doi:http://dx.doi.org/10.1111/j.1365-2206.2009.00620.x
- Eilertsen, M. E. B., Rannestad, T., Indredavik, M. S., & Vik, T. (2011). Psychosocial health in children and adolescents surviving cancer. *Scandinavian Journal of Caring Sciences*, 25(4), 725-734. doi:10.1111/j.1471-6712.2011.00883.x
- Eilertsen, M. E. B., Rannestad, T., Indredavik, M. S., Vik, T., Reinfjell, T., & Killingberg, H. (2010). Psychosocial health in children and adolescents surviving cancer. *Pediatric Blood and Cancer*, 55 (5), 983. doi:http://dx.doi.org/10.1002/pbc.22779
- Elberling, H., Linneberg, A., Olsen, E. M., Houmann, T., Rask, C. U., Goodman, R., & Skovgaard, A. M. (2014). Infancy predictors of hyperkinetic and pervasive developmental disorders at ages 5-7 years: Results from the Copenhagen Child Cohort CCC2000. *Journal of Child Psychology and Psychiatry*, 55(12), 1328-1335. doi:http://dx.doi.org/10.1111/jcpp.12256
- Elgen, S., Leversen, K., Grundt, J., Hurum, J., Sundby, A., Elgen, I., & Markestad, T. (2012). Mental health at 5 years among children born extremely preterm: a national population-based study. *European Child & Adolescent Psychiatry*, 21(10), 583-590. doi:http://dx.doi.org/10.1007/s00787-012-0298-1
- Elgen, S., Leversen, K., Grundt, J. H., Hurum, J., Sundby, A. B., Elgen, I. B., & Markestad, T. (2012). Mental health among children born extremely premature: A national population based study. *European Psychiatry*, 27. doi:http://dx.doi.org/10.1016/S0924-9338%2812%2974112-3
- Elgen, S. K., Leversen, K. T., Grundt, J. H., Hurum, J., Sundby, A. B., Elgen, I. B., & Markestad, T. (2012). Neurodevelopmental disabilities and mental health in extreme preterm children. a national population based study. *Archives of Disease in Childhood*, 97, A357-A358. doi:http://dx.doi.org/10.1136/archdischild-2012-302724.1251
- Essau, C. A., Olaya, B., Anastassiou-Hadjicharalambous, X., Pauli, G., Gilvarry, C., Bray, D., . . . Ollendick, T. H. (2012). Psychometric properties of the Strength and Difficulties Questionnaire from five European countries. *International Journal of Methods in Psychiatric Research*, 21(3), 232-245. doi:http://dx.doi.org/10.1002/mpr.1364
- Essau, C. A., Sasagawa, S., Anastassiou-Hadjicharalambous, X., Guzman, B. O., & Ollendick, T. H. (2011). Psychometric properties of the Spence Child Anxiety Scale with adolescents from five European countries. *Journal of Anxiety Disorders*, 25(1), 19-27. doi:http://dx.doi.org/10.1016/j.janxdis.2010.07.001

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

- Goodman, A., Heiervang, E., Fleitlich-Bilyk, B., Alyahri, A., Patel, V., Mullick, M. S. I., . . . Goodman, R. (2012). Cross-national differences in questionnaires do not necessarily reflect comparable differences in disorder prevalence. *Social Psychiatry and Psychiatric Epidemiology*, 47(8), 1321-1331. doi:http://dx.doi.org/10.1007/s00127-011-0440-2
- Gunnarsdottir, H., Bjereld, Y., Hensing, G., Petzold, M., & Povlsen, L. (2015). Associations between parents' subjective time pressure and mental health problems among children in the Nordic countries: a population based study. *BMC PUBLIC HEALTH*, 15, 353. doi:10.1186/s12889-015-1634-4
- Gunnarsdottir, H., Hensing, G., Povlsen, L., & Petzold, M. (2015). Relative deprivation in the Nordic countries- child mental health problems in relation to parental financial stress. doi:10.1093/eurpub/ckv191
- Hagquist, C. (2007). The psychometric properties of the self-reported SDQ--An analysis of Swedish data based on the Rasch model. *Personality and Individual Differences*, 43(5), 1289-1301. doi:http://dx.doi.org/10.1016/j.paid.2007.03.022
- Heiervang, E., Goodman, A., & Goodman, R. (2008). The Nordic advantage in child mental health: Separating health differences from reporting style in a cross-cultural comparison of psychopathology. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 49(6), 678-685. doi:http://dx.doi.org/10.1111/j.1469-7610.2008.01882.x
- Heiervang, E., Stormark, K. M., Lundervold, A. J., Heimann, M., Goodman, R., Posserud, M.-B., . . . Gillberg, C. (2007). Psychiatric Disorders in Norwegian 8- to 10-Year-Olds: An Epidemiological Survey of Prevalence, Risk Factors, and Service Use. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(4), 438-447. doi:http://dx.doi.org/10.1097/chi.0b013e31803062bf
- Heyerdahl, S. (2003a). SDQ - strength and difficulties questionnaire : en orientering om et nytt spørreskjema for kartlegging av mental helse hos barn og unge, brukt i UNGHUBRO, OPPHED og TROFINN. *Norsk Epidemiologi*(≈rg. 13, nr 1), 127-135 : ill.
- Heyerdahl, S. (2003). SDQ - Strength and difficulties questionnaire: a new questionnaire for mental health assessment of children and adolescents, used in recent Norwegian surveys: UNGHUBRO, OPPHED and TROFINN. *Norsk Epidemiologi*, 13(1), 127-135.
- Hoekstra, P. J., Lundervold, A. J., Lie, S. A., Gillberg, C., & Plessen, K. J. (2013). Emotional development in children with tics: A longitudinal population-based study. *European Child and Adolescent Psychiatry*, 22(3), 185-192. doi:http://dx.doi.org/10.1007/s00787-012-0337-y
- Holen, S., Lervag, A., Waaktaar, T., & Ystgaard, M. (2012). Exploring the associations between coping patterns for everyday stressors and mental health in young schoolchildren. *Journal of School Psychology*, 50(2), 167-193. doi:http://dx.doi.org/10.1016/j.jsp.2011.10.006
- Holen, S., Waaktaar, T., Lervag, A., & Ystgaard, M. (2012). The effectiveness of a universal school-based programme on coping and mental health: A randomised, controlled study of Zippy's Friends. *Educational Psychology*, 32(5), 657-677. doi:http://dx.doi.org/10.1080/01443410.2012.686152
- Hysing, M. (2010). Sleep and emotional problems in children with a chronic illness. *Journal of Sleep Research*, 19, 204. doi:http://dx.doi.org/10.1111/j.1365-2869.2010.00868.x
- Indredavik, M. S., Vik, T., Heyerdahl, S., Kulseng, S., & Brubakk, A. M. (2005). Psychiatric symptoms in low birth weight adolescents, assessed by screening questionnaires. *European Child and Adolescent Psychiatry, Supplement*, 14(4), 226-236. doi:http://dx.doi.org/10.1007/s00787-005-0459-6
- Iversen, A. C., Jakobsen, R., Havik, T., Hysing, M., & Stormark, K. M. (2007). Mental health problems among child welfare clients living at home. *Child Care in Practice*, 13(4), 387-399. doi:http://dx.doi.org/10.1080/13575270701488790
- Javo, C., Ronning, J. A., Handegard, B. H., & Rudmin, F. W. (2009). Cross-informant correlations on social competence and behavioral problems in Sami and Norwegian preadolescents. *Eur Child Adolesc Psychiatry*, 18(3), 154-163. doi:10.1007/s00787-008-0714-8
- Jozefiak, T., Larsson, B., Wichstrom, L., & Rimehaug, T. (2012). Competence and emotional/behavioural problems in 7-16-year-old Norwegian school children as reported by parents. *Nordic Journal of Psychiatry*, 66(5), 311-319. doi:http://dx.doi.org/10.3109/08039488.2011.638934
- Kjaer, D., Christensen, J., Bech, B. H., Pedersen, L. H., Vestergaard, M., & Olsen, J. (2010). Preschool behavioral problems after prenatal exposure to antiepileptic drugs: A follow-up study. *Epilepsia*, 51, 9. doi:http://dx.doi.org/10.1111/j.1528-1167.2010.02658.x

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

- Kristoffersen, J. H., Obel, C., & Smith, N. (2015). Gender differences in behavioral problems and school outcomes. *Journal of Economic Behavior & Organization*, 115, 75-93.
doi:<http://dx.doi.org/10.1016/j.jebo.2014.10.006>
- Landsem, I. P., Handegard, B. H., Ulvund, S. E., Tunby, J., Kaaresen, P. I., & Ronning, J. A. (2015). Does an early intervention influence behavioral development until age 9 in children born prematurely? *Child Development*, 86(4), 1063-1079. doi:<http://dx.doi.org/10.1111/cdev.12368>
- Larsson, H., Viding, E., Rijdsdijk, F. V., & Plomin, R. (2008). Relationships between parental negativity and childhood antisocial behavior over time: a bidirectional effects model in a longitudinal genetically informative design. *Journal of Abnormal Child Psychology*, 36(5), 633-645. doi:10.1007/s10802-007-9151-2
- Lehmann, S., Breivik, K., Heiervang, E. R., Havik, T., & Havik, O. E. (2015). Reactive Attachment Disorder and Disinhibited Social Engagement Disorder in School-Aged Foster Children - A Confirmatory Approach to Dimensional Measures. *Journal of Abnormal Child Psychology*. doi:10.1007/s10802-015-0045-4
- Lien, L., Green, K., Welander-Vatn, A., & Bjertness, E. (2009). Mental and somatic health complaints associated with school bullying between 10th and 12th grade students; results from cross sectional studies in Oslo, Norway. *Clinical Practice and Epidemiology in Mental Health*, 5(6).
doi:<http://dx.doi.org/10.1186/1745-0179-5-6>
- Lien, L., Haavet, O. R., Thoresen, M., Heyerdahl, S., & Bjertness, E. (2007). Mental health problems, negative life events, perceived pressure and the frequency of acute infections among adolescents: Results from a cross-sectional, multicultural, population-based study. *Acta Paediatrica*, 96(2), 301-306.
doi:<http://dx.doi.org/10.1111/j.1651-2227.2007.00084.x>
- Lundervold, A. J., Heimann, M., & Manger, T. (2008). Behaviour-emotional characteristics of primary-school children rated as having language problems. *British Journal of Educational Psychology*, 78(4), 567-580.
doi:<http://dx.doi.org/10.1348/000709908X320480>
- Lundh, L. G., Wangby-Lundh, M., & Bjarehed, J. (2008). Self-reported emotional and behavioral problems in Swedish 14 to 15-year-old adolescents: A study with the self-report version of the strengths and difficulties questionnaire. *Scandinavian Journal of Psychology*, 49(6), 523-532.
doi:<http://dx.doi.org/10.1111/j.1467-9450.2008.00668.x>
- Malmberg, M., Rydell, A.-M., & Smedje, H. (2003). Validity of the Swedish version of the strengths and difficulties questionnaire (SDQ-Swe). *Nordic Journal of Psychiatry*(Vol. 57, no. 5), [357]-363.
- Moen Ø, L., Hedelin, B., & Hall-Lord, M. L. (2015). Parental perception of family functioning in everyday life with a child with ADHD. *Scandinavian Journal of Public Health*, 43(1), 10-17.
doi:10.1177/1403494814559803
- Morsing, E., Åsard, M., Ley, D., Stjernqvist, K., & Maršál, K. (2011). Cognitive function after intrauterine growth restriction and very preterm birth. *Pediatrics*, 127(4), e874-e882. doi:10.1542/peds.2010-1821
- Munkvold, L., Lundervold, A., Lie, S. A., & Manger, T. (2009). Should there be separate parent and teacher-based categories of ODD? Evidence from a general population. *Journal of Child Psychology and Psychiatry*, 50(10), 1264-1272. doi:<http://dx.doi.org/10.1111/j.1469-7610.2009.02091.x>
- Munkvold, L. H., Lundervold, A. J., & Manger, T. (2011). Oppositional Defiant Disorder-Gender Differences in Co-occurring Symptoms of Mental Health Problems in a General Population of Children. *Journal of Abnormal Child Psychology*, 39(4), 577-587. doi:10.1007/s10802-011-9486-6
- Nemirovski Edlund, J., Thoren, A., & Carlberg, G. (2014). Outcome of psychodynamic child psychotherapy in routine practice. *European Journal of Psychotherapy and Counselling*, 16(3), 228-244.
doi:<http://dx.doi.org/10.1080/13642537.2014.927381>
- Niclasen, J. (2012). Characteristic of women who drink-and do not drink-alcohol in pregnancy: A large-scale descriptive cohort study. *Journal of Population Therapeutics and Clinical Pharmacology*, 19 (3), e454.
- Niclasen, J., Andersen, A. M. N., Strandberg-Larsen, K., & Teasdale, T. W. (2014). Is alcohol binge drinking in early and late pregnancy associated with behavioural and emotional development at age 7 years? *European Child and Adolescent Psychiatry*, 23(12), 1175-1180. doi:<http://dx.doi.org/10.1007/s00787-013-0511-x>
- Niclasen, J., Nybo-Andersen, A. M., Teasdale, T. W., & Strandberg-Larsen, K. (2012). Prenatal exposure to alcohol and neurobehavioural development at age seven. *Journal of Population Therapeutics and Clinical Pharmacology*, 19 (3), e453.

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

- Niclasen, J., Skovgaard, A. M., Andersen, A. M. N., Somhovd, M. J., & Obel, C. (2013). A confirmatory approach to examining the factor structure of the strengths and Difficulties Questionnaire (SDQ): A large scale cohort study. *Journal of Abnormal Child Psychology*, 41(3), 355-365.
doi:<http://dx.doi.org/10.1007/s10802-012-9683-y>
- Niclasen, J., Teasdale, T. W., Andersen, A.-M. N., Skovgaard, A. M., Elberling, H., & Obel, C. (2012). Psychometric properties of the Danish Strength and Difficulties Questionnaire: The SDQ assessed for more than 70,000 raters in four different cohorts. *PLoS ONE Vol 7(2), Feb 2012, ArtID e32025*, 7(2).
doi:<http://dx.doi.org/10.1371/journal.pone.0032025>
- Nilsen, T. S., Handegård, B. H., Eisemann, M., & Kvernmo, S. (2015). Evaluating change in symptomatic and functional level of children and youth with emotional disorders: a naturalistic observation study. *European Child & Adolescent Psychiatry*. doi:10.1007/s00787-014-0671-3
- Nilsen, W., Gustavson, K., Roysamb, E., Kjeldsen, A., & Karevold, E. (2013). Pathways from maternal distress and child problem behavior to adolescent depressive symptoms: A prospective examination from early childhood to adolescence. *Journal of Developmental and Behavioral Pediatrics*, 34(5), 303-313.
doi:<http://dx.doi.org/10.1097/DBP.0b013e318293ab05>
- Noam, G., Oppedal, B., Idsoe, T., & Panjwani, N. (2014). Mental health problems and school outcomes among immigrant and non-immigrant early adolescents in Norway. *School Mental Health*, 6(4), 279-293.
doi:<http://dx.doi.org/10.1007/s12310-014-9129-5>
- Obel, C., Dalsgaard, S., Stax, H. P., & Bilenberg, N. (2003a). Strengths and Difficulties Questionnaire (SDQ-Dan). A new instrument for psychopathologic screening of children aged 4-16 years. *Ugeskrift for Laeger*, 165(5), 462-465.
- Obel, C., Dalsgaard, S., Stax, H. P., & Bilenberg, N. (2003b). The strengths and difficulties questionnaire for children: A new instrument for screening for psychiatric symptoms in children between the age of 4 and 16 years. [Danish]. *Ugeskrift for Laeger*, 165(5), 462-465.
- Obel, C., Heiervang, E., Rodriguez, A., Heyerdahl, S., Smedje, H., Sourander, A., . . . Olsen, J. (2004). The strengths and difficulties questionnaire in the nordic countries. *European Child and Adolescent Psychiatry, Supplement*, 13(2), II/32-II/39. doi:<http://dx.doi.org/10.1007/s00787-004-2006-2>
- Oppedal, B., Roysamb, E., & Heyerdahl, S. (2005). Ethnic group, acculturation, and psychiatric problems in young immigrants. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, 46(6), 646-660.
doi:<http://dx.doi.org/10.1111/j.1469-7610.2004.00381.x>
- Ottosen, M. H. (2011). Research on the Danish Longitudinal Survey of Children (DALSC) at the Danish National Centre for Social Research. *Scandinavian Journal of Public Health*, 39(7, Suppl), 121-125.
doi:<http://dx.doi.org/10.1177/1403494811399165>
- Posserud, B., Lundervold, A. J., Steijnen, M. C., Verhoeven, S., Stormark, K. M., & Gillberg, C. (2008). Factor analysis of the Autism Spectrum Screening Questionnaire. *Autism : the international journal of research and practice*, 12(1), 99-112. doi:10.1177/1362361307085268 [doi]
- Posserud, M., Lundervold, A. J., Lie, S. A., & Gillberg, C. (2010). The prevalence of autism spectrum disorders: Impact of diagnostic instrument and non-response bias. *Social Psychiatry and Psychiatric Epidemiology*, 45(3), 319-327. doi:<http://dx.doi.org/10.1007/s00127-009-0087-4>
- Ravens-Sieberer, U., Erhart, M., Gosch, A., & Wille, N. (2008). Mental health of children and adolescents in 12 European countries--Results from the European KIDSCREEN Study. *Clinical Psychology & Psychotherapy*, 15(3), 154-163. doi:<http://dx.doi.org/10.1002/cpp.574>
- Richter, J., Sagatun, A., Heyerdahl, S., Oppedal, B., & Roysamb, E. (2011). The Strengths and Difficulties Questionnaire (SDQ) - Self-Report. An analysis of its structure in a multiethnic urban adolescent sample. *Journal of Child Psychology and Psychiatry*, 52(9), 1002-1011. doi:10.1111/j.1469-7610.2011.02372.x
- Rodriguez, A., Olsen, J., Kotimaa, A. J., Kaakinen, M., Moilanen, I., Henriksen, T. B., . . . Jarvelin, M. R. (2009). Is prenatal alcohol exposure related to inattention and hyperactivity symptoms in children? Disentangling the effects of social adversity. *Journal of Child Psychology & Psychiatry & Allied Disciplines*, 50(9), 1073-1083. doi:<http://dx.doi.org/10.1111/j.1469-7610.2009.02071.x>
- Ronning, J. A., Handegard, B. H., Sourander, A., & Morch, W. T. (2004). The Strengths and Difficulties Self-Report Questionnaire as a screening instrument in Norwegian community samples. *European Child and Adolescent Psychiatry*, 13(2), 73-82. doi:<http://dx.doi.org/10.1007/s00787-004-0356-4>

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

- Sandvik, V. y., Hysing, M., & Lundervold, A. J. (2007). Bruk av Strengths and Difficulties Questionnaire i kartlegging av psykiske vansker hos barn med utviklingshemning. *Tidsskrift for Norsk Psykologforening*(Vol. 44, nr. 6), 750-754 : ill., port.
- Sanne, B., Torsheim, T., Heiervang, E., & Stormark, K. M. (2009). The Strengths and Difficulties Questionnaire in the Bergen Child Study: A Conceptually and Methodically Motivated Structural Analysis. *Psychological Assessment*, 21(3), 352-364. doi:http://dx.doi.org/10.1037/a0016317
- Smedje, H., Broman, J. E., Hetta, J., & Von Knorring, A. L. (1999). Psychometric properties of a Swedish version of the 'Strengths and Difficulties Questionnaire'. *European Child and Adolescent Psychiatry*, 8(2), 63-70. doi:http://dx.doi.org/10.1007/s007870050086
- Sorheim Nilsen, T., Eisemann, M., & Kvernmo, S. (2011). The Strengths and Difficulties Questionnaire (SDQ): What kinds of problems predict self-, parent- and teacher reported impact score? *European Child and Adolescent Psychiatry*, 20, S217. doi:http://dx.doi.org/10.1007/s00787-011-0181-5
- Sorheim Nilsen, T., Kvernmo, S., Eisemann, M., & Handegard, B. (2015). Evaluating change in symptomatic and functional level of children and youth with emotional disorders: A naturalistic observation study. *European Child and Adolescent Psychiatry*, 1), S252. doi:http://dx.doi.org/10.1007/s00787-015-0714-4
- Steinhausen, H. C., Novik, T. S., Baldursson, G., Curatolo, P., Lorenzo, M. J., Rodrigues Pereira, R., . . . Vlasveld, L. (2006). Co-existing psychiatric problems in ADHD in the ADORE cohort. *European Child and Adolescent Psychiatry*, 15(SUPPL. 1), I/25-I/29. doi:http://dx.doi.org/10.1007/s00787-006-1004-y
- Svedin, C. G. r., & Priebe, G. (2008). The Strengths and Difficulties Questionnaire as a screening instrument in a community sample of high school seniors in Sweden. *Nordic Journal of Psychiatry*(Vol. 62, no. 3), [225]-232.
- Sveen, T. H., Berg-Nielsen, T. S., Lydersen, S., & Wichstrom, L. (2013). Detecting psychiatric disorders in preschoolers: Screening with the strengths and difficulties questionnaire. *Journal of the American Academy of Child and Adolescent Psychiatry*, 52(7), 728-736. doi:http://dx.doi.org/10.1016/j.jaac.2013.04.010
- Thorup, A. A., Jepsen, J. R., Ellersgaard, D. V., Burton, B. K., Christiani, C. J., Hemager, N., . . . Nordentoft, M. (2015). The Danish High Risk and Resilience Study-VIA 7-A cohort study of 520 7-year-old children born of parents diagnosed with either schizophrenia, bipolar disorder or neither of these two mental disorders. *BMC Psychiatry Vol 15 Dec 2015, ArtID 233*, 15.
- Van Roy, B., Groholt, B., Heyerdahl, S., & Clench-Aas, J. (2006). Self-reported strengths and difficulties in a large Norwegian population 10-19 years: Age and gender specific results of the extended SDQ-questionnaire. *European Child and Adolescent Psychiatry*, 15(4), 189-198. doi:http://dx.doi.org/10.1007/s00787-005-0521-4
- Van Roy, B., Groholt, B., Heyerdahl, S., & Clench-Aas, J. (2010). Understanding discrepancies in parent-child reporting of emotional and behavioural problems: Effects of relational and socio-demographic factors. *BMC Psychiatry*, 10. doi:10.1186/1471-244x-10-56
- Van Roy, B., Veenstra, M., & Clench-Aas, J. (2008). Construct validity of the five-factor Strengths and Difficulties Questionnaire (SDQ) in pre-, early, and late adolescence. *Journal of child psychology and psychiatry, and allied disciplines*, 49(12), 1304-1312. doi:http://dx.doi.org/10.1111/j.1469-7610.2008.01942.x
- Vanaelst, B., De Vriendt, T., Ahrens, W., Bammann, K., Hadjigeorgiou, C., Konstabel, K., . . . De Henauw, S. (2012). Prevalence of psychosomatic and emotional symptoms in European school-aged children and its relationship with childhood adversities: results from the IDEFICS study. *European Child and Adolescent Psychiatry*, 21(5), 253-265. doi:10.1007/s00787-012-0258-9
- Waaktaar, T., Borge, A. I. H., Christie, H. J., & Torgersen, S. (2005). Youth-parent consistencies on ratings of difficulties and prosocial behavior: Exploration of an at-risk sample. *Scandinavian Journal of Psychology*, 46(2), 179-188. doi:10.1111/j.1467-9450.2005.00447.x
- Wesselhoeft, R. T., Mors, O., Heiervang, E., & Bilenberg, N. (2011). Depressive spectrum disorders in 7-9-year-old children from The Danish National Birth Cohort - A pilot study. *European Child and Adolescent Psychiatry*, 20, S187-S188. doi:http://dx.doi.org/10.1007/s00787-011-0181-5
- Wichstrom, L., Berg-Nielsen, T. S., Angold, A., Egger, H. L., Solheim, E., & Sveen, T. H. (2012). Prevalence of psychiatric disorders in preschoolers. *Journal of child psychology and psychiatry, and allied disciplines*, 53(6), 695-705. doi:http://dx.doi.org/10.1111/j.1469-7610.2011.02514.x

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

Wichstrøm, L., Belsky, J., & Berg-Nielsen, T. S. (2013). Preschool predictors of childhood anxiety disorders: a prospective community study. *Journal of child psychology and psychiatry, and allied disciplines*, 54(12), 1327-1336. doi:10.1111/jcpp.12116

Wichstrøm, L., Belsky, J., Jozefiak, T., Sourander, A., & Berg-Nielsen, T. S. (2014). Predicting service use for mental health problems among young children. *Pediatrics*, 133(6), 1054-1060. doi:10.1542/peds.2013-3184

Zeratsion, H., Bjertness, C. B., Lien, L., Haavet, O. R., Dalsklev, M., Halvorsen, J. A., . . . Claussen, B. (2014). Does parental divorce increase risk behaviors among 15/16 and 18/19 year-old adolescents? A study from Oslo, Norway. *Clinical Practice and Epidemiology in Mental Health Vol 10 Jun 2014, ArtID 59-66*, 10. doi:http://dx.doi.org/10.2174/1745017901410010059

Zeratsion, H., Dalsklev, M., Bjertness, E., Lien, L., Haavet, O. R., Halvorsen, J. A., . . . Claussen, B. (2013). Parental divorce in late adolescence does not seem to increase mental health problems: a population study from Norway. *BMC PUBLIC HEALTH*, 13, 5. doi:10.1186/1471-2458-13-413

Zhu, J. L., Obel, C., Basso, O., Henriksen, T. B., Bech, B. H., Hvidtjarn, D., & Olsen, J. (2011). Infertility, infertility treatment and behavioural problems in the offspring. *Paediatric and Perinatal Epidemiology*, 25(5), 466-477. doi:http://dx.doi.org/10.1111/j.1365-3016.2011.01220.x

Abstracts

Danielson, M., Carlberg, M., Lindevall, O., & Larsson, J. O. (2011). Using multi-informant Strengths and Difficulties Questionnaire (SDQ) as a dimensional measure of child mental health. *European Child and Adolescent Psychiatry*, 20, S159-S160. doi:http://dx.doi.org/10.1007/s00787-011-0181-5

Fosse, H. E., Stormark, K. M., Pallesen, S., Nordhus, I. H., & Bjorvatn, B. (2010). Sleep problems and mental health problems in school-aged children (7-12 years): A longitudinal population-based study. *Journal of Sleep Research*, 19, 254. doi:http://dx.doi.org/10.1111/j.1365-2869.2010.00868.x

Reviews

Achenbach, T. M., Becker, A., Dopfner, M., Heiervang, E., Roessner, V., Steinhausen, H. C., & Rothenberger, A. (2008). Multicultural assessment of child and adolescent psychopathology with ASEBA and SDQ instruments: research findings, applications, and future directions. *Journal of Child Psychology and Psychiatry*, 49(3), 251-275. doi:10.1111/j.1469-7610.2007.01867.x

Paalman, C. H., Terwee, C. B., Jansma, E. P., & Jansen, L. M. C. (2013). Instruments measuring externalizing mental health problems in immigrant ethnic minority youths: a systematic review of measurement properties. *PLoS ONE [Electronic Resource]*, 8(5), e63109. doi:http://dx.doi.org/10.1371/journal.pone.0063109

SDQ-algoritme, men ikke relevant data

Boe, T., Overland, S., Lundervold, A. J., & Hysing, M. (2012). Socioeconomic status and children's mental health: results from the Bergen Child Study. *Social Psychiatry & Psychiatric Epidemiology*, 47(10), 1557-1566. doi:http://dx.doi.org/10.1007/s00127-011-0462-9

Elberling, H., Linneberg, A., Olsen, E. M., Goodman, R. & Skovgaard, A. M. (2010). The prevalence of SDQ-measured mental health problems at age 5-7 years and identification of predictors from birth to preschool age in a Danish birth cohort: The Copenhagen Child Cohort 2000. *European Child and Adolescent Psychiatry*, 19(9), 725-735. doi: <http://dx.doi.org/10.1007/s00787-010-0110-z>

Nielsen, S. S., Norredam, M., Christiansen, K. L., Obel, C., Hilden, J. & Krasnik, A. (2008). Mental health among children seeking asylum in Denmark - The effect of length of stay and number of relocations: A cross-sectional study. *BMC Public Health*, 8(293). doi: http://dx.doi.org/10.1186/1471-2458-8-293

Ikke funnet fulltekst

Allik, H., Smedje, H., & Larsson, J. (2009). Parent-reported sleep problems and associated behavioral symptoms in children with asperger syndrome and high-functioning autism: A longitudinal approach. *Sleep*, 32, A72.

Vedlegg til

Eidstuen, J.S. & Kornør, H. (2017). Diagnostisk nøyaktighet ved algoritmen til den norske versjonen av Strengths and Difficulties Questionnaire (SDQ). *PsykTestBARN*, 1:2.

Nielsen, S. S., Norredam, M., Christiansen, K. L., Obel, C., Hilden, J., & Krasnik, A. (2009). The effect of length of stay and number of relocations on asylum-seeking children's mental health--secondary publication. [Danish]. *Ugeskrift for Læger*, 171(12), 981-984.

Van Roy, E. (2010). Mental health problems and their impact in a cross-sectional study of Norwegian children and adolescents aged 8-19 years: a study based on results using the Strengths and Difficulties Questionnaire as a measure of psychological adjustment. *no. 924*, 1 b. (flere pag.) : fig.

Waaktaar, T., Christie, H. J., Borge, A. I., & Torgersen, S. (2004). Building youths' resilience within a psychiatric outpatient setting: results from a pilot clinical intervention project. *Psychological reports*, 94(1), 363-370. doi:10.2466/pr0.94.1.363-370

Utenlandsk

Borg, A.-M., Kaukonen, P. I., Joukamaa, M., & Tamminen, T. (2014). Finnish norms for young children on the Strengths and Difficulties Questionnaire. *Nordic journal of psychiatry [elektronisk ressurs]*(Vol. 68, no. 7), 433-442 : ill.

Borg, A.-M., Kaukonen, P. I., Salmelin, R., Joukamaa, M., & Tamminen, T. (2012). Reliability of the Strengths and Difficulties Questionnaire among Finnish 4-9-year-old children. *Nordic journal of psychiatry [elektronisk ressurs]*(Vol. 66, no. 6), [403]-413 : ill.

Merwood, A., Greven, C., Price, T., Rijdsdijk, F., Kuntsi, J., McLoughlin, G., . . . Asherson, P. (2013). Different heritabilities but shared etiological influences for parent, teacher and self-ratings of ADHD symptoms: An adolescent twin study. *Psychological Medicine*, 43(9), 1973-1984.

Merwood, A., Greven, C. U., Larsson, H., & Asherson, P. (2010). Parent, teacher and self-ratings of ADHD: A twin study in early adolescence. *European Child and Adolescent Psychiatry*, 19, S25. doi:http://dx.doi.org/10.1007/s00787-010-0117-5

Muller, U. C., Asherson, P., Banaschewski, T., Buitelaar, J. K., Ebstein, R. P., Eisenberg, J., . . . Steinhausen, H. (2011). The impact of study design and diagnostic approach in a large multi-centre ADHD study: Part 2: Dimensional measures of psychopathology and intelligence. *BMC Psychiatry*, 11(55). doi:http://dx.doi.org/10.1186/1471-244X-11-55

Reilly, C., Atkinson, P., Das, K. B., Chin, R. F., Aylett, S. E., Burch, V., . . . Neville, B. G. R. (2014). Screening for mental health disorders in active childhood epilepsy: Population-based data. *Epilepsy Research*, 108(10), 1917-1926. doi:http://dx.doi.org/10.1016/j.eplepsyres.2014.09.028

Reilly, C., Atkinson, P., Gillberg, C., Aylett, S. E., Burch, V., Das, K. B., . . . Neville, B. G. R. (2014). The use of behavioural screening measures in children with 'active' epilepsy: A populationbased study. *Developmental Medicine and Child Neurology*, 56, 52. doi:http://dx.doi.org/10.1111/dmcn.12350-9

Rapporterer data som overlapper med allerede inkludert publikasjon fra samme studie

Hestetun, I., Oellingrath, I. & Svendsen, M. (2015). Sleep problems, mental health problems and lifestyle among young Norwegian adolescents. *European Child and Adolescent Psychiatry*, 1), S68. doi: http://dx.doi.org/10.1007/s00787-015-0714-4

Moe, T. F. & Sæther, G. (2010). *The ability of the strengths and difficulties questionnaire to detect mental health disorders in a child and adolescent outpatient clinic in Northern-Norway*. Tromsø: University of Tromsø.