

## Vedlegg til

Kornør, H. & Skarphedinsson, G. (2016). Måleegenskaper ved den norske versjonen av Schedule for Affective Disorders and Schizophrenia for School-Aged Children: Present and Lifetime Version (6-18) (Kiddie-SADS-PL). *PsykTestBarn*, 1:2..

## Vedlegg 2. Ekskluderte publikasjoner, svensk/dansk søk

### Dubletter

von Knorring, A. L., Olsson, G. I., Thomsen, P. H., Lemming, O. M. & Hultén, A. (2006). A randomized, double-blind, placebo-controlled study of citalopram in adolescents with major depressive disorder. *Journal of clinical psychopharmacology*, 26(3), 311-315. doi: 10.1097/01.jcp.0000219051.40632.d5

Lundervold, A., Posserud, M., Sorensen, L., & Gillberg, C. (2008). Intellectual function in children with teacher reported language problems. *Scandinavian Journal of Psychology*, 49(2), 187-193. doi: <http://dx.doi.org/10.1111/j.1467-9450.2007.00622.x>

Malmberg, K., Wargelius, H. L., Lichtenstein, P., Orelund, L., & Larsson, J. O. (2008). ADHD and Disruptive Behavior scores - associations with MAO-A and 5-HTT genes and with platelet MAO-B activity in adolescents. *BMC Psychiatry*, 8, 28. doi: <http://dx.doi.org/10.1186/1471-244X-8-28>

Malmberg, K., Wargelius, H.-L., Lichtenstein, P., Orelund, L., & Larsson, J.-O. (2008). ADHD and disruptive behavior scores-Associations with MAO-A and 5-HTT genes and with platelet MAO-B activity in adolescents. *BMC Psychiatry*, 8, 28. doi: <http://dx.doi.org/10.1186/1471-244X-8-28>

Wargelius, H. L., Malmberg, K., Larsson, J. O., & Orelund, L. (2012). Associations of MAOA-VNTR or 5HTT-LPR alleles with attention-deficit hyperactivity disorder symptoms are moderated by platelet monoamine oxidase B activity. *Psychiatric Genetics*, 22(1), 42-45. doi: <http://dx.doi.org/10.1097/YPG.0b013e328347c1ab>

### Ingen Kiddie-SADS-PL-data

Coghill, D., et al. (2013). European, randomized, phase 3 study of lisdexamfetamine dimesylate in children and adolescents with attention-deficit/hyperactivity disorder. *European Neuropsychopharmacology* 23(10): 1208-1218. <http://dx.doi.org/10.1016/j.euroneuro.2012.11.012>

Helverskov, J., Clausen, L., Mors, O., Frydenberg, M., Thomsen, P., & Rokkedal, K. (2010). Trans-diagnostic outcome of eating disorders: A 30-month follow-up study of 629 patients. *European Eating Disorders Review*, 18(6), 453-463. doi: <http://dx.doi.org/10.1002/erv.1025>

Hemphala, M., Gustavsson, J., & Tengstrom, A. (2013). The validity of the Health-Relevant Personality Inventory (HP5i) and the Junior Temperament and Character Inventory (JCTI) among adolescents referred for a substance misuse problem. *Journal of Personality Assessment*, 95(4), 398-406. doi: <http://dx.doi.org/10.1080/00223891.2012.735301>

Larson, T., Anckarsater, H., Gillberg, C., Stahlberg, O., Carlstrom, E., Kadesjo, B., . . . Gillberg, C. (2010). The Autism-Tics, AD/HD and other Comorbidities inventory (A-TAC): Further validation of a telephone interview for epidemiological research. *BMC Psychiatry*, 10, 1. doi: <http://dx.doi.org/10.1186/1471-244X-10-1>

Lichtenstein, P., Tuvblad, C., Larsson, H., & Carlstrom, E. (2007). The Swedish Twin study of CHild and Adolescent Development: The TCHAD-Study. *Twin Research and Human Genetics*, 10(1), 67-73. doi: <http://dx.doi.org/10.1375/twin.10.1.67>

Odelius, C. B. and M. Ramklint (2014). Clinical utility of proposed non-suicidal self-injury diagnosis-A pilot study. *Nordic Journal of Psychiatry* 68(1): 66-71.

Vaeuver, M. S., Licht, D. M., Moller, L., Perlt, D., Jorgensen, A., Handest, P., & Parnas, J. (2005). Thinking within the spectrum: schizophrenic thought disorder in six Danish pedigrees. *Schizophrenia Research*, 72(2-3), 137-149. doi: <http://dx.doi.org/10.1016/j.schres.2004.04.001>

## Data fra andre land enn Sverige eller Danmark

Dittmann, R. W., et al. (2013). Efficacy and safety of lisdexamfetamine dimesylate and atomoxetine in the treatment of attention-deficit/hyperactivity disorder: A head-to-head, randomized, double-blind, phase IIIb study. *CNS Drugs* 27(12): 1081-1092. DOI 10.1007/s40263-013-0104-8

Dolan, M. C., & Rennie, C. E. (2006). Reliability, validity, and factor structure of the Swedish Youth Psychopathic Trait Inventory in a UK sample of conduct disordered boys. *Journal of Forensic Psychiatry and Psychology*, 17(2), 217-229. doi: <http://dx.doi.org/10.1080/14789940500497784>

Kelleher, I., Keeley, H., Corcoran, P., Lynch, F., Fitzpatrick, C., Devlin, N. et al. (2012). Clinicopathological significance of psychotic experiences in non-psychotic young people: Evidence from four population-based studies. *The British Journal of Psychiatry*, 201(1), 26-32. doi: <http://dx.doi.org/10.1192/bjp.bp.111.101543>

Lundervold, A. J., Posserud, M., L, S. O., & Gillberg, C. (2008). Intellectual function in children with teacher reported language problems: Health and Disability. *Scandinavian Journal of Psychology*, 49(2), 187-193. doi: <http://dx.doi.org/10.1111/j.1467-9450.2007.00622.x>

Miguez, M., Weber, B., Debbane, M., Balanzin, D., Gex-Fabry, M., Raiola, F. et al. (2013). Screening for bipolar disorder in adolescents with the Mood Disorder Questionnaire-Adolescent version (MDQ-A) and the Child Bipolar Questionnaire (CBQ). *Early Intervention in Psychiatry*, 7(3), 270-277. doi:10.1111/j.1751-7893.2012.00388.x

Mueller, S. C., Hardin, M. G., Mogg, K., Benson, V., Bradley, B. P., Reinholdt-Dunne, M. L. et al. (2012). The influence of emotional stimuli on attention orienting and inhibitory control in pediatric anxiety. *Journal of Child Psychology and Psychiatry*, 53(8), 856-863. doi: <http://dx.doi.org/10.1111/j.1469-7610.2012.02541.x>

Nixon, R. D., Meiser-Stedman, R., Dalgleish, T., Yule, W., Clark, D. M., Perrin, S., & Smith, P. (2013). The Child PTSD Symptom Scale: An update and replication of its psychometric properties. *Psychological Assessment*, 25(3), 1025-1031. doi: <http://dx.doi.org/10.1037/a0033324>

Nordstrom, T., Ebeling, H., Hurtig, T., Rodriguez, A., Savolainen, J., Moilanen, I., & Taanila, A. (2013). Comorbidity of disruptive behavioral disorders and attention-deficit hyperactivity disorder - Indicator of severity in problematic behavior? *Nordic Journal of Psychiatry*, 67(4), 240-248. doi: <http://dx.doi.org/10.3109/08039488.2012.731431>

Tillman, C. M., Bohlin, G., Sorensen, L., & Lundervold, A. J. (2009). Intelligence and specific cognitive abilities in children. *Journal of Individual Differences*, 30(4), 209-219. doi: <http://dx.doi.org/10.1027/1614-0001.30.4.209>

## Ingen relevante data

Anckarsater, H., Lundstrom, S., Kollberg, L., Kerekes, N., Palm, C., Carlstrom, E. et al. (2011). The Child and Adolescent Twin Study in Sweden (CATSS). *Twin Research and Human Genetics*, 14(6), 495-508. doi: <http://dx.doi.org/10.1375/twin.14.6.495>

- Axberg, U., & Broberg, A. G. (2012). Evaluation of "the incredible years" in Sweden: The transferability of an American parent-training program to Sweden. *Scandinavian Journal of Psychology*, 53(3), 224-232. doi: <http://dx.doi.org/10.1111/j.1467-9450.2012.00955.x>
- Bilenberg, N., Petersen, D. J., Hoerder, K., & Gillberg, C. (2005). The prevalence of child-psychiatric disorders among 8-9-year-old children in Danish mainstream schools. *Acta Psychiatrica Scandinavica*, 111(1), 59-67. doi: <http://dx.doi.org/10.1111/j.1600-0447.2004.00432.x>
- Buitelaar, J. K., Barton, J., Danckaerts, M., Friedrichs, E., Gillberg, C., Hazell, P. L. et al. (2006). A comparison of North American versus non-North American ADHD study populations. *European Child and Adolescent Psychiatry*, 15(3), 177-181. doi: <http://dx.doi.org/10.1007/s00787-005-0523-2>
- Buitelaar, J. K., Michelson, D., Danckaerts, M., Gillberg, C., Spencer, T. J., Zuddas, A. et al. (2007). A Randomized, Double-Blind Study of Continuation Treatment for Attention-Deficit/Hyperactivity Disorder After 1 Year. *Biological Psychiatry*, 61(5), 694-699. doi: <http://dx.doi.org/10.1016/j.biopsych.2006.03.066>
- Cardo, E., et al. (2013).** Fast vs. slow switching from stimulants to atomoxetine in children and adolescents with attention-deficit/hyperactivity disorder. *Journal of Child and Adolescent Psychopharmacology* 23(4): 252-261. <http://dx.doi.org/10.1089/cap.2012.0027>
- Correll, C. U., Zhao, J., Carson, W., Marcus, R., McQuade, R., Forbes, R. A., & Mankoski, R. (2013). Early antipsychotic response to aripiprazole in adolescents with schizophrenia: Predictive value for clinical outcomes. *Journal of the American Academy of Child and Adolescent Psychiatry*, 52(7), 689-698. doi: <http://dx.doi.org/10.1016/j.jaac.2013.04.018>
- Edbom, T., Malmberg, K., Lichtenstein, P., Granlund, M., & Larsson, J. O. (2010). High sense of coherence in adolescence is a protective factor in the longitudinal development of ADHD symptoms. *Scandinavian Journal of Caring Sciences*, 24(3), 541-547. doi: <http://dx.doi.org/10.1111/j.1471-6712.2009.00746.x>
- Ellersgaard, D., Thorup, A., Jepsen, J. R., Ranning, A., Burton, B. K., Christiani, C. et al. (2012). Psychopathology in children of parents with schizophrenia or bipolar affective disorder in the Danish High Risk and Resilience Study - VIA 7. *Early Intervention in Psychiatry*, 6, 57. doi: <http://dx.doi.org/10.1111/j.1751-7893.2012.00394.x>
- Enebrink, P., Andershed, H., & Langstrom, N. (2005). Callous-unemotional traits are associated with clinical severity in referred boys with conduct problems. *Nordic Journal of Psychiatry*, 59(6), 431-440. doi: <http://dx.doi.org/10.1080/08039480500360690>
- Enebrink, P., Hogstrom, J., Forster, M., & Ghaderi, A. (2012). Internet-based parent management training: A randomized controlled study. *Behaviour Research and Therapy*, 50(4), 240-249. doi: <http://dx.doi.org/10.1016/j.brat.2012.01.006>
- Enebrink, P., Langstrom, N., & Gumpert, C. H. (2006). Predicting Aggressive and Disruptive Behavior in Referred 6-to 12-Year-Old Boys: Prospective Validation of the EARL-20B Risk/Needs Checklist. *Assessment*, 13(3), 356-367. doi: <http://dx.doi.org/10.1177/1073191106290649>
- Enebrink, P., Langstrom, N., Hulten, A., & Gumpert, C. H. (2006). Swedish validation of the Early Assessment Risk List for Boys (EARL-20B), a decision aid for use with children presenting with conduct-disordered behaviour. *Nordic Journal of Psychiatry*, 60(6), 438-446. doi: <http://dx.doi.org/10.1080/08039480601021795>
- Gosden, N. P., Kramp, P., Gabrielsen, G., Andersen, T. F., & Sestoft, D. (2006). Mental disorders and charges of violent offences. A study of male adolescent remand prisoners. *International Journal of Law and Psychiatry*, 29(3), 186-194. doi: <http://dx.doi.org/10.1016/j.ijlp.2005.08.011>

- Gustafsson, P. E., Gustafsson, P. A., Ivarsson, T., & Nelson, N. (2008). Diurnal cortisol levels and cortisol response in youths with obsessive-compulsive disorder. *Neuropsychobiology*, 57(1-2), 14-21. doi: <http://dx.doi.org/10.1159/000123117>
- Hazell, P., Zhang, S., Wolanczyk, T., Barton, J., Johnson, M., Zuddas, A. et al. (2006). Comorbid oppositional defiant disorder and the risk of relapse during 9 months of atomoxetine treatment for attention-deficit/hyperactivity disorder. *European Child and Adolescent Psychiatry*, 15(2), 105-110. doi: <http://dx.doi.org/10.1007/s00787-006-0506-y>
- Hemphala, M., & Tengstrom, A. (2010). Associations between psychopathic traits and mental disorders among adolescents with substance use problems. *The British journal of clinical psychology*, 49(Pt 1), 109-122. doi: <http://dx.doi.org/10.1348/014466509X439216>
- Hogstrom, J., Enebrink, P., & Ghaderi, A. (2013). The moderating role of child callous-unemotional traits in an Internet-based parent-management training program. *Journal of Family Psychology*, 27(2), 314-323. doi: <http://dx.doi.org/10.1037/a0031883>
- Hvolby, A., Jorgensen, J., & Bilenberg, N. (2009). Parental rating of sleep in children with attention deficit/hyperactivity disorder. *European Child and Adolescent Psychiatry*, 18(7), 429-438. doi: <http://dx.doi.org/10.1007/s00787-009-0750-z>
- Ivarsson, T., & Larsson, B. (2008). The Obsessive-Compulsive Symptom (OCS) scale of the Child Behavior Checklist: A comparison between Swedish children with Obsessive-Compulsive Disorder from a specialized unit, regular outpatients and a school sample. *Journal of Anxiety Disorders*, 22(7), 1172-1179. doi: <http://dx.doi.org/10.1016/j.janxdis.2007.12.004>
- Ivarsson, T., & Melin, K. (2008). Autism spectrum traits in children and adolescents with obsessive-compulsive disorder (OCD). *Journal of Anxiety Disorders*, 22(6), 969-978. doi: <http://dx.doi.org/10.1016/j.janxdis.2007.10.003>
- Ivarsson, T., Granqvist, P., Gillberg, C., & Broberg, A. G. (2010). Attachment states of mind in adolescents with obsessive-compulsive disorder and/or depressive disorders: A controlled study. *European Child and Adolescent Psychiatry*, 19(11), 845-853. doi: <http://dx.doi.org/10.1007/s00787-010-0120-x>
- Ivarsson, T., Melin, K., & Wallin, L. (2008). Categorical and dimensional aspects of co-morbidity in obsessive-compulsive disorder (OCD). *European Child and Adolescent Psychiatry*, 17(1), 20-31. doi: <http://dx.doi.org/10.1007/s00787-007-0626-z>
- Jeppesen, P., Clemmensen, L., Munkholm, A., Rimvall, M., Rask, C. U., Joergensen, T., . . . Skovgaard, A. M. (2013). A population-based study of psychotic symptoms in children aged 11-12 years. *Schizophrenia Bulletin*, 39, S66. doi: <http://dx.doi.org/10.1093/schbul/sbt011>
- Jeppesen, P., et al. (2013). Subclinical psychotic symptoms and sleep problems are associated in children of the general population at age 11-12 years. *European Child and Adolescent Psychiatry* 1): S149.
- Kaess, M., et al. (2014). Risk-behaviour screening for identifying adolescents with mental health problems in Europe. *European Child & Adolescent Psychiatry* 23(7): 611-620. <http://dx.doi.org/10.1007/s00787-013-0490-y>
- Larson, T., Lundstrom, S., Nilsson, T., Selinus, E. N., Rastam, M., Lichtenstein, P. et al. (2013). Predictive properties of the A-TAC inventory when screening for childhood-onset neurodevelopmental problems in a population-based sample. *BMC Psychiatry*, 13(233). doi: <http://dx.doi.org/10.1186/1471-244X-13-233>

- Malmberg, K., Edbom, T., Wargelius, H. L. & Larsson, J. O. (2011). Psychiatric problems associated with subthreshold ADHD and disruptive behaviour diagnoses in teenagers. *Acta Paediatrica*, 100(11), 1468-1475. doi: <http://dx.doi.org/10.1111/j.1651-2227.2011.02363.x>
- Malmberg, K., Edbom, T., Wargelius, H., & Larsson, J. O. (2011). Subthreshold ADHD and disruptive behavior diagnoses in teenagers; associations with other psychiatric problems in the Kiddie SADS: PL questionnaire. *European Child and Adolescent Psychiatry*, 20, S122-S123. doi: <http://dx.doi.org/10.1007/s00787-011-0181-5>
- Malmberg, K., Wargelius, H. L., Lichtenstein, P., Orelund, L., & Larsson, J. O. (2008). ADHD and Disruptive behavior scores - Associations with MAO-A and 5-HTT genes and with platelet MAO-B activity in adolescents. *BMC Psychiatry*, 8(28). doi: <http://dx.doi.org/10.1186/1471-244X-8-28>
- Michelson, D., Buitelaar, J. K., Danckaerts, M., Gillberg, C., Spencer, T. J., Zuddas, A., . . . Biederman, J. (2004). Relapse prevention in pediatric patients with ADHD treated with atomoxetine: A randomized, double-blind, placebo-controlled study. *Journal of the American Academy of Child and Adolescent Psychiatry*, 43(7), 896-904. doi: <http://dx.doi.org/10.1097/01.chi.0000125089.35109.81>
- Montgomery, E. (2010). Trauma and resilience in young refugees: A 9-year follow-up study. *Development and Psychopathology*, 22(2), 477-489. doi: <http://dx.doi.org/10.1017/S0954579410000180>
- Myren, K.-J., Thernlund, G., Nylén, A., Schacht, A., & Svanborg, P. (2010). Atomoxetine's effect on societal costs in Sweden. *Journal of Attention Disorders*, 13(6), 618-628. doi: <http://dx.doi.org/10.1177/1087054709332163>
- Olofsdotter, S., et al. (2012). Disagreement between adolescent and parent reports of anxiety symptoms: Who is right? *International Journal of Neuropsychopharmacology* 15: 93. <http://dx.doi.org/10.1017/S1461145712000508>
- Petersen, D. J. & Bilenberg, N. (2002). Dansk oversættelse af det diagnostiske børne- og ungdomspsykiatriske interview "Schedule for Affective Disorders and Schizophrenia for School-aged children, Present and Lifetime Version". *Ugeskrift for læger*, 164(26), 3433-3435.
- Petersen, D. J., Bilenberg, N., Hoerder, K., & Gillberg, C. (2006). The population prevalence of child psychiatric disorders in Danish 8- to 9-year-old children. *European Child and Adolescent Psychiatry*, 15(2), 71-78. doi: <http://dx.doi.org/10.1007/s00787-006-0488-9>
- Rydkaer, J., Glenthøj, B. Y., Fagerlund, B., Pagsberg, A. K., Jepsen, J. R., & Oranje, B. (2011). Do adolescents with psychotic symptoms show early indicators of schizophrenia? *Schizophrenia Bulletin*, 37, 41. doi: <http://dx.doi.org/10.1093/schbul/sbq173>
- Sorensen, M. J., Thomsen, P. H., & Bilenberg, N. (2007). Parent and child acceptability and staff evaluation of K-SADS-PL: A pilot study. *European Child and Adolescent Psychiatry*, 16(5), 293-297. doi: <http://dx.doi.org/10.1007/s00787-006-0559-y>
- Storebo, O. J., Gluud, C., Winkel, P., & Simonsen, E. (2012). Social-skills and parental training plus standard treatment versus standard treatment for children with ADHD - The randomised SOSTRA Trial. *PLoS ONE*, 7(6). doi: <http://dx.doi.org/10.1371/journal.pone.0037280>
- Svanborg, P., Thernlund, G., Gustafsson, P. A., Hagglof, B., Poole, L., & Kadesjo, B. (2009). Efficacy and safety of atomoxetine as add-on to psychoeducation in the treatment of attention deficit/hyperactivity disorder: A randomized, double-blind, placebo-controlled study in stimulant-naïve Swedish children and adolescents. *European Child and Adolescent Psychiatry*, 18(4), 240-249. doi: <http://dx.doi.org/10.1007/s00787-008-0725-5>

Svanborg, P., Thernlund, G., Gustafsson, P. A., Hagglof, B., Schacht, A., & Kadesjo, B. (2009). Atomoxetine improves patient and family coping in attention deficit/hyperactivity disorder: A randomized, double-blind, placebo-controlled study in Swedish children and adolescents. *European Child and Adolescent Psychiatry*, 18(12), 725-735. doi: <http://dx.doi.org/10.1007/s00787-009-0031-x>

Thomsen, P. H. (2004). Risperidone Augmentation in the Treatment of Severe Adolescent OCD in SSRI-refractory Cases: A Case-series. *Annals of Clinical Psychiatry*, 16(4), 201-207. doi: <http://dx.doi.org/10.1080/10401230490522016>

Tillman, C. M., Bohlin, G., Sorensen, L., & Lundervold, A. J. (2009). Intellectual deficits in children with ADHD beyond central executive and non-executive functions. *Archives of Clinical Neuropsychology*, 24(8), 769-782. doi: <http://dx.doi.org/10.1093/arclin/acp075>

Trzepacz, P. T., Spencer, T. J., Zhang, S., Bangs, M. E., Witte, M. M., & Desai, D. (2011). Effect of atomoxetine on Tanner stage sexual development in children and adolescents with attention deficit/hyperactivity disorder: 18-month results from a double-blind, placebo-controlled trial. *Current Medical Research and Opinion*, 27(Suppl 2), 45-52. doi: <http://dx.doi.org/10.1185/03007995.2011.599372>

Valderhaug, R., & Ivarsson, T. (2005). Functional impairment in clinical samples of Norwegian and Swedish children and adolescents with obsessive-compulsive disorder. *European Child and Adolescent Psychiatry*, Supplement, 14(3), 164-173. doi: <http://dx.doi.org/10.1007/s00787-005-0456-9>

Von Knorring, A. L., Olsson, G. I., Thomsen, P. H., Lemming, O. M., & Hulten, A. (2006). A randomized, double-blind, placebo-controlled study of citalopram in adolescents with major depressive disorder. *Journal of Clinical Psychopharmacology*, 26(3), 311-315. doi: <http://dx.doi.org/10.1097/01.jcp.0000219051.40632.d5>

Wargelius, H. L., Malmberg, K., Larsson, J. O., & Orelund, L. (2011). Associations of 5HTT-LPR with ADHD symptoms are moderated by platelet MAOB activity. *European Psychiatry*, 26. doi: <http://dx.doi.org/10.1016/S0924-9338%2811%2972075-2>

Burton, B. K., Jepsen, J. R., Thorup, A., Ellersgaard, D., Jerlang, C., Ranning, A. et al. (2012). Performance monitoring in children at high risk of developing schizophrenia or bipolar disorder and the relationship to attention and motor development. The Danish High Risk and Resilience Study-VIA 7. *Early Intervention in Psychiatry*, 6, 42. doi: <http://dx.doi.org/10.1111/j.1751-7893.2012.00394.x>

## Data allerede rapportert i annen, inkludert publikasjon

Sorensen, M. J., Mors, O., & Thomsen, P. H. (2005). DSM-IV or ICD-10-DCR diagnoses in child and adolescent psychiatry: Does it matter? *European Child and Adolescent Psychiatry*, Supplement, 14(6), 335-340. doi: <http://dx.doi.org/10.1007/s00787-005-0482-7>

Hodgins, S., Oliver, B. R., Tengstrom, A., & Larsson, A. (2010). Adolescents who consulted for substance misuse problems: Outcomes 1 year later. *Nordic Journal of Psychiatry*, 64(3), 189-195. doi: <http://dx.doi.org/10.3109/08039480903389002>

Hodgins, S., Tengstrom, A., Bylin, S., Goranson, M., Hagen, L., Jansson, M. et al. (2007). Consulting for substance abuse: Mental disorders among adolescents and their parents. *Nordic Journal of Psychiatry*, 61(5), 379-386. doi: <http://dx.doi.org/10.1080/08039480701643423>