

Vedlegg 3. Inkluderte studier (n ≥ 100 og/eller psykometri data rapportert)

Studie	Referanse	Populasjon	Svarprosent	CBCL-versjon	Hovedskalaer	Data
BUP I	Berg-Nielsen 2003	Barn 11-17 år henvist til psykiatriske poliklinikker for emosjonelle og atferdsforstyrrelser	68/68?	4-18 (1991)	I, E	r CBCL-YSR
Premature I	Dahl 2006	162 av 265 for tidlig fødte barn med svært lav fødselsvekt (<=1500 g), 13-18 år	99/162	4-18 (1991)	TP, I, E, TC	M/SD, p, ICC CBCL-YSR
De utrolige årene	Drugli 2007, 2010, Larsson 2009	Barn 4-8 år henvist til to BUPer pga av opposisjonelle eller atferdsproblemer.	125/127 (mødre), 78/127 (fedre)	4-18 (1991)	I	M/SD, p, α, r mor-far + CBCL- andre instrumenter
Hjertesyke barn	Fredriksen 2009	Barn 11-16 år med hjertesykdom, friske kontroller (Gjone 1995)	307/488, 368/368, 326/430, 356/792	4-18 (1991)	TP, I, E	M/SD, p
Oslo/Lofoten I	Gjone 1995, Nøvik 1999a, 1999b, 2000, Ivanova 2007	Generell populasjon 5-15 år	1168/2600	4-18 (1991)	TP, I, E, TC	M/SD, p, stabilitet, r mor-far, r CBCL-TRF, r CBCL-YSR multipl regressjon, diagnostisk nøyaktighet, ANCOVA, krysskulturell faktoranalyse
Tvillinger	Gjone 1995, 1997 Oct, 1997 Aug	Tvillinger 5-15 år	1830/3058	4-18 (1991)	I, E	M/SD, p, arvelighet, r T1 temperament - T2 CBCL subskalaer
Alkoholiserede foreldre	Haugland 2003	Barn 5-11 år med foreldre i poliklinisk behandling for alkoholrelaterte problemer	23/23	4-18 (1991)	I, E	r mor-far
Fosterhjem	Holtan 2005	Barn 4-13 år i fosterhjem m/ eller u/slektskap	199/426	4-18 (1991)	TP, I, E, TC	M/SD, p

Studie	Referanse	Populasjon	Svarprosent	CBCL-versjon	Hovedskalaer	Data
Premature II	Indredavik 2005, 2010	Premature ungdommer med svært lav fødselsvekt (<=1500 g), ungdommer født til termin med lav vekt (< 10. percentil), kontroller	56/75, 60/104, 83/120	4-18 (1991)	TP, I, E, TC	<i>M/SD, p, samsvar mor/far, r CBCL- SDQ, sensitivitet/spesifisitet.</i>
Etnisitet	Javo 2000, 2004, 2009a, 2009b	Samiske og norske barn 4 år m/11-12- årsoppfølging	191/191	4-18 (1991)	TP, I, E	<i>M/SD, p, r mor-far, r CBCL-TRF, α, prediktorer for CBCL-skårer</i>
Sør-Trøndelag	Jozefiak 2011	Generell populasjon, 6-16 år	2582/3940	6-18 (2001)	TP, I, E, TC	<i>M/SD, p, α, ANOVA</i>
MITP	Kaaresen 2008	Ny fødte m/fødselsvekt < 2000 g	122/146 (mor), 103/146 (far)	2-3 (1991)	TP, I, E	<i>M/SD, p</i>
Institusjon	Kjelsberg 2004	Barn og ungdom 4-18 år i barnevernsinstitusjon vs psykiatrisk institusjon	225/244, 75/90	4-18 (1991)	TP, I, E	<i>M/SD, p, r CBCL-YSR</i>
BUP II	Kjøbli 2009	Barn/ungdom 4-12 år henvist til psykisk helsevern pga atferdsproblemer	315/323	4-18 (1991)	I, E	<i>M/SD, p, α, endringssensitivitet</i>
Dysleksi	Knivsberg 2008	Barn/ungdom 9-16 år med dysleksi, matchede barn med lesevaner	70/70, 70//70?	4-18 (1991)	TP, I, E	<i>M/SD, p, forekomst</i>
Selektiv mutisme	Kristensen 2001	Barn 3-16 år henvist til psykisk helsevern med selektiv stumhet, matchede barn u/henvisning	50/54,103/1 08 (Total problems)	4-18 (1991)	TP, I, E, TC	<i>M/SD, p, forekomst</i>
Finnmark ungdom	Kvernmo 1998	Ungdomsskoleelever 13-16 år i Finnmark	221/487	4-18 (1991)	TP, I, E	<i>M/SD, p, α</i>
Utviklingsforstyrrelser	Nygard 2000	Barn 4-8 år m/tilbud om psyk. utredning	236/301	4-18 (1991)	TP, I, E	<i>r CBCL - TRF</i>

Studie	Referanse	Populasjon	Svarprosent	CBCL-versjon	Hovedskalaer	Data
BUP I	Nøvik 1995	Gutter 6-11 år henvist til psykisk helsetjeneste	66/66?	4-18 (1991)	I, E,	<i>r</i> CBCL - PACS
Oslo/Lofoten II		Generell populasjon 4-16 år (Gjone 1995)	1170/2600	4-18 (1991)	TP, I, E, TC	Stabilitet, <i>r</i> mor-far, <i>r</i> CBCL-TRF, <i>r</i> CBCL-YSR multipl regressjon, diagnostisk nøyaktighet, ANCOVA, krysskulturell faktoranalyse
MST II	Ogden 2006	Ungdom 12-17 år henvist fra kommunalt til fylkesbarnevern og randomisert til multisystemisk terapi (MST) eller vanlig oppfølging	75/75?	4-18 (1991)	I, E	α
MST I	Ogden 2007, 2009	Ungdom 12-17 år henvist fra kommunalt til fylkesbarnevern og fordelt til multisystemisk terapi (MST) eller vanlig oppfølging	(105/105), 108/117?	4-18 (1991)	I, E	<i>M/SD</i> , <i>p</i> , α
PMTO	Ogden 2008	Barn/ungdom 4-12 år henvist til barnevernet av familien pga atferdsproblemer, og randomisert til PMTO eller standard oppfølging	112/112	4-18 (1991)	TP, I, E	<i>M/SD</i> (T-skårer), α , endringssensitivitet
Overvekt	Steinsbekk 2009	Barn 7-18 år i behandling for overvekt, matchede kontroller 8-16 år (Jozefiak 2011)	118/185, 671/799	6-18 (2001)	TP, I, E	<i>M/SD</i> , <i>p</i>
Familialt hyper- kolesterolemi I	Tonstad 1996	Barn 7-16 år med høyt kolesterol i familien	149/205	4-18 (1991)	TP, I, E	<i>M/SD</i> , <i>p</i>
Familialt hyper- kolesterolemi II	Tonstad 1997	Barn 7-17 år med høyt kolesterol i familien	156/190	4-18 (1991)	TP, I, E	Median og interquartile range, kvartiler basert på andel energi fra totalt fett
Revmatisme	Vandvik 1990	Barn 4-17 år innlagt for første gang i revmatologisk avdeling, søsken nærmest i alder	75/106, 47/48	4-18 (1991)	TP, I, E	<i>M/SD</i> , <i>p</i>

Studie	Referanse	Populasjon	Svarprosent	CBCL-versjon	Hovedskalaer	Data
ADHD	Zeiner 1997	Gutter 7-11 år med hyperaktivitet/ oppmerksomhetsproblemer	48/48?	4-18 (1991)	(Attention)	Phi CBCL-TRF (korrelasjon)

TP = totale problemer, I = internaliserende, E = eksternaliserende, TC = total kompetanse, r = Pearsons r (korrelasjon), M/SD = gjennomsnittsskårer med standardavvik, p = p -verdi (sannsynlighet) for gruppeforskjeller, ICC = intraklassekorrelasjon, α = Cronbachs alfa (indre konsistens), YSR = Youth Self Report, T1 = tidspunkt 1, T2 = tidspunkt 2, SDQ = Strengths and Difficulties Questionnaire, TRF = Teacher Report Form, ANOVA = variansanalyse, PACS = Parental Account of Children's Symptoms.

Referanser

Berg-Nielsen, T. S., Vika, A., & Dahl, A. A. (2003). When adolescents disagree with their mother: CBCL-YSR discrepancies related to maternal depression and adolescent self-esteem. *Child: Care, Health and Development*, 29(3), 207-213.

Dahl, L. B., Kaaresen, P. I., Tunby, J., rd, B. H., Kvernmo, S., Rønning, J. A. (2006). Emotional, behavioral, social, and academic outcomes in adolescents born with very low birth weight. *Pediatrics*, 118(2), e449-e459.

Drugli, M. B., Fossum, S., Larsson, B., & Mørch, W. T. (2010). Characteristics of young children with persistent conduct problems 1 year after treatment with the Incredible Years program. *European Child & Adolescent Psychiatry*, 19(7), 559-565.

Drugli, M. B., Larsson, B., & Clifford, G. (2007). Changes in social competence in young children treated because of conduct problems as viewed by multiple informants. *European Child & Adolescent Psychiatry*, 16(6), 370-378.

Fredriksen, P. M., Diseth, T. H., & Thaulow, E. (2009). Children and adolescents with congenital heart disease: assessment of behavioural and emotional problems. *European Child & Adolescent Psychiatry*, 18(5), 292-300.

Gjone, H., & Nøvik, T. S. (1995). Parental ratings of behaviour problems: a twin and general population comparison. *J Child Psychol Psychiatry*, 36(7), 1213-1224.

Gjone, H., & Stevenson, J. (1997). The association between internalizing and externalizing behavior in childhood and early adolescence: genetic of environmental common influences? *Journal of Abnormal Child Psychology*, 25(4), 277-286.

Gjone, H., & Stevenson, J. (1997). A longitudinal twin study of temperament and behavior problems: common genetic or environmental influences? *Journal of the American Academy of Child & Adolescent Psychiatry*, 36(10), 1448-1456.

Haugland, B. S. M. (2003). Paternal alcohol abuse: Relationship between child adjustment, parental characteristics, and family functioning. *Child Psychiatry & Human Development*, 34(2), 127-146.

Holtan, A., Rønning, J. A., rd, B. H., & Sourander, A. (2005). A comparison of mental health problems in kinship and nonkinship foster care. *European Child & Adolescent Psychiatry, 14*(4), 200-207.

Indredavik, M. S., Vik, T., Evensen, K. A., Skranes, J., Taraldsen, G., & Brubakk, A. M. (2010). Perinatal risk and psychiatric outcome in adolescents born preterm with very low birth weight or term small for gestational age. *Journal of Developmental and Behavioral Pediatrics, 31*(4), 286-294.

Indredavik, M. S., Vik, T., Heyerdahl, S., Kulseng, S., & Brubakk, A. M. (2005). Psychiatric symptoms in low birth weight adolescents, assessed by screening questionnaires. *European Child & Adolescent Psychiatry, 14*(4), 226-236.

Ivanova, M. Y., Achenbach, T. M., Dumenci, L., Rescorla, L. A., Almqvist, F., Weintraub, S., . . . Verhulst, F. C. (2007). Testing the 8-syndrome structure of the child behavior checklist in 30 societies. *Journal of Clinical Child and Adolescent Psychology, 36*(3), 405-417.

Javo, C., Heyerdahl, S., & Rønning, J. A. (2000). Parent reports of child behavior problems in young Sami children: a cross-cultural comparison. *European Child & Adolescent Psychiatry, 9*(3), 202-211.

Javo, C., Ronning, J. A., Handegard, B. H., & Rudmin, F. W. (2009). Cross-informant correlations on social competence and behavioral problems in Sami and Norwegian preadolescents. *European Child and Adolescent Psychiatry, 18*(3), 154-163.

Javo, C., Rønning, J. A., Handegård, B. H., & Rudmin, F. W. (2009). Social competence and emotional/behavioral problems in a birth cohort of Sami and Norwegian preadolescents in Arctic Norway as reported by mothers and teachers. *Nordic Journal of Psychiatry, 63*(2), 178-187.

Javo, C., Rønning, J. A., Heyerdahl, S., & Rudmin, F. W. (2004). Parenting correlates of child behavior problems in a multiethnic community sample of preschool children in northern Norway. *European Child & Adolescent Psychiatry, 13*(1), 8-18.

Jozefiak, T., Larsson, B., Wichstrom, L., & Rimehaug, T. (2011). Competence and emotional/behavioural problems in 7-16-year-old Norwegian school children as reported by parents. *Nord J Psychiatry*. doi: 10.3109/08039488.2011.638934

- Kaaresen, P. I., Rønning, J. A., Tunby, J., Nordhov, S. M., Ulvund, S. E., & Dahl, L. B. (2008). A randomized controlled trial of an early intervention program in low birth weight children: outcome at 2 years. *Early Human Development*, 84(3), 201-209.
- Kjelsberg, E., & Nygren, P. (2004). The prevalence of emotional and behavioural problems in institutionalized childcare clients. *Nordic Journal of Psychiatry*, 58(4), 319-325.
- Kjøbli, J., & Ogden, T. (2009). Gender differences in intake characteristics and behavior change among children in families receiving parent management training. *Children and Youth Services Review*, 31(8), 823-830.
- Knivsberg, A. M., & Andreassen, A. B. (2008). Behaviour, attention and cognition in severe dyslexia. *Nordic Journal of Psychiatry*, 62(1), 59-65.
- Kristensen, H. (2001). Multiple informants' report of emotional and behavioural problems in a nation-wide sample of selective mute children and controls. *European Child & Adolescent Psychiatry*, 10(2), 135-142.
- Kvernmo, S., & Heyerdahl, S. (1998). Influence of ethnic factors on behavior problems in indigenous Sami and majority Norwegian adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, 37(7), 743-751.
- Larsson, B., Fossum, S., Clifford, G., Drugli, M. B., Handegard, B. H., & Morch, W. T. (2009). Treatment of oppositional defiant and conduct problems in young Norwegian children: Results of a randomized controlled trial. [10.1007/s00787-008-0702-z]. *European Child and Adolescent Psychiatry*, 18(1), 42-52.
- Nygard, J. S. (2000). *Problemmønstre hos barn med autismeperspektivforstyrrelser: en studie av Child Behavior Checklist (CBCL) som indikator på problemer hos barn og unge med gjennomgripende utviklingsforstyrrelser*. J.S. Nygard, Oslo.
- Nøvik, T. S. (1995). Are postal surveys in child psychiatry feasible? Results of an epidemiological study. *Nordic Journal of Psychiatry*, 49(5), 337-343.
- Nøvik, T. S. (1999). *Validity and use of the child behavior checklist in Norwegian children and adolescents: an epidemiological and clinical study*. Centre for Child and Adolescent Psychiatry, Department Group of Psychiatry, University of Oslo, Oslo.

- Nøvik, T. S. (1999). Validity of the Child Behaviour Checklist in a Norwegian sample. *European Child & Adolescent Psychiatry*, 8(4), 247-254.
- Nøvik, T. S. (2000). Child behavior checklist item scores in Norwegian children. *European Child and Adolescent Psychiatry*, 9(1), 54-60.
- Ogden, T., & Amlund Hagen, K. (2009). What works for whom? Gender differences in intake characteristics and treatment outcomes following multisystemic therapy. *Journal of Adolescence*, 32(6), 1425-1435.
- Ogden, T., & Hagen, K. A. (2006). Multisystemic treatment of serious behaviour problems in youth: Sustainability of effectiveness two years after intake. [10.1111/j.1475-3588.2006.00396.x]. *Child and Adolescent Mental Health*, 11(3), 142-149.
- Ogden, T., & Hagen, K. A. (2008). Treatment effectiveness of parent management training in Norway: A randomized controlled trial of children with conduct problems. *Journal of Consulting and Clinical Psychology*, 76(4), 607-621.
- Ogden, T., Hagen, K., & Andersen, O. (2007). Sustainability of the effectiveness of a programme of multisystemic treatment (MST) across participant groups in the second year of operation. *Journal of Children's Services*, 2(3), 4-14.
- Steinsbekk, S., Jozefiak, T., rd, R., Wichstr, x00F, & m, L. (2009). Impaired parent-reported quality of life in treatment-seeking children with obesity is mediated by high levels of psychopathology. *Quality of Life Research*, 18(9), 1159-1167.
- Tonstad, S. (1996). Familial hypercholesterolaemia: a pilot study of parents' and children's concerns. *Acta Paediatrica*, 85(11), 1307-1313.
- Tonstad, S., & Sivertsen, M. (1997). Dietary adherence in children with familial hypercholesterolemia. *American Journal of Clinical Nutrition*, 65(4), 1018-1026.
- Tonstad, S., vik, T. S., & Vandvik, I. H. (1996). Psychosocial function during treatment for familial hypercholesterolemia. *Pediatrics*, 98(2:Pt 1), t-55.
- Vandvik, I. H. (1990). Mental health and psychosocial functioning in children with recent onset of rheumatic disease. *J Child Psychol Psychiatry*, 31(6), 961-971.

Zeiner, P. (1997). Parent-reported symptoms of hyperactivity and attention deficits predict teacher-reported symptoms. *Acta Paediatrica*, 86(2), 178-182.