

Vedlegg 2. Publikasjoner som rapporterer CBCL-skårer i små utvalg (n<100), uten psykometridata

Aase, H., & Sagvolden, T. (2006). Infrequent, but not frequent, reinforcers produce more variable responding and deficient sustained attention in young children with attention-deficit/hyperactivity disorder (ADHD). *Journal of Child Psychology and Psychiatry*, 47(5), 457-471.

Aasland, A., & Diseth, T. H. (1999). Can the Harter Self-Perception Profile for Adolescents (SPPA) be used as an indicator of psychosocial outcome in adolescents with chronic physical disorders? *European Child & Adolescent Psychiatry*, 8(2), 78-85.

Aksnes, G., Diseth, T. H., Helseth, A., Edwin, B., Stange, M., Aafos, G., & Emblem, R. (2002). Appendicostomy for antegrade enema: effects on somatic and psychosocial functioning in children with myelomeningocele. *Pediatrics*, 109(3), 484-489.

Diseth, T. H., Bjornland, K., Novik, T. S., & Emblem, R. (1997). Bowel function, mental health, and psychosocial function in adolescents with Hirschsprung's disease. *Arch Dis Child*, 76(2), 100-106.

Diseth, T. H., Egeland, T., & Emblem, R. (1998). Effects of anal invasive treatment and incontinence on mental health and psychosocial functioning of adolescents with Hirschsprung's disease and low anorectal anomalies. *J Pediatr Surg*, 33(3), 468-475.

Diseth, T. H., & Emblem, R. (1996). Somatic function, mental health, and psychosocial adjustment of adolescents with anorectal anomalies. *Journal of Pediatric Surgery*, 31(5), 638-643.

Diseth, T. H., Emblem, R., Solbraa, I. B., & Vandvik, I. H. (1994). A psychosocial follow-up of ten adolescents with low anorectal malformation. *Acta Paediatr*, 83(2), 216-221.

Eckblad, G., & Vandvik, I. H. (1992). A computerized scoring procedure for the Kvebaek Family Sculpture Technique applied to families of children with rheumatic diseases. *Fam Process*, 31(1), 85-98.

Flatø, B., Sørskaar, D., Vinje, O., Lien, G., Aasland, A., Moum, T., & rre, O. (1998). Measuring disability in early juvenile rheumatoid arthritis: evaluation of a Norwegian version of the childhood Health Assessment Questionnaire. *Journal of Rheumatology*, 25(9), 1851-1858.

Fossen, A. (1995). Intellektuelle og psykososiale funksjoner hos barn stralebehandlet for hjernesvulst. *Tidsskrift for Den Norske Legeforening*, 115(28), 3490-3493.

- Fredriksen, P. M., Kahrs, N., Blaasvaer, S., Sigurdson, E., Gundersen, O., Roeksund, O., . . . Thaulow, E. (2000). Effect of physical training in children and adolescents with congenital heart disease. *Cardiology in the Young*, 10(2), 107-114.
- Gundersen, K., & Svartdal, F. (2006). Aggression Replacement Training in Norway: Outcome evaluation of 11 Norwegian student projects. *Scandinavian Journal of Educational Research*, 50(1), 63-81.
- Hagemo, P. S., Rasmussen, M., Bryhn, G., & Vandvik, I. H. (1997). Hypoplastic left heart syndrome: multiprofessional follow-up in the mid-term following palliative procedures. *Cardiol Young*, 7, 248-253.
- Haugland, B. S. M. (2005). Recurrent Disruptions of Rituals and Routines in Families With Paternal Alcohol Abuse. *Family Relations*, 54(2), 225-241.
- Indredavik, M. S., Brubakk, A. M., Romundstad, P., & Vik, T. (2007). Prenatal smoking exposure and psychiatric symptoms in adolescence. *Acta Paediatrica*, 96(3), 377-382.
- Israel, P., Thomsen, P. H., Langeveld, J. H., & Stormark, K. M. (2007). Parent-youth discrepancy in the assessment and treatment of youth in usual clinical care setting: Consequences to parent involvement. *European Child & Adolescent Psychiatry*, 16(2), 138-148.
- Nygaard, E. A., rdal, K., & Bentsen, B. S. (2004). Recurrent abdominal pain in children revisited: irritable bowel syndrome and psychosomatic aspects. A prospective study. *Scandinavian Journal of Gastroenterology*, 39(10), 938-940.
- Reinfjell, T., Lofstad, G. E., Nordahl, H. M., Vikan, A., & Diseth, T. H. (2009). Children in remission from acute lymphoblastic leukaemia: mental health, psychosocial adjustment and parental functioning. *European Journal of Cancer Care*, 18(4), 364-370.
- Skjeldal, O. H., Capjon, H., Dahl, A., & Diseth, T. H. (2009). Therapy in a subtropical climate for children with cerebral palsy. Evidence of physical and psychosocial effects? *Acta Paediatrica*, 98(4), 670-674.
- Spurkland, I., Bjornstad, P. G., Lindberg, H., & Seem, E. (1993). Mental health and psychosocial functioning in adolescents with congenital heart disease. A comparison between adolescents born with severe heart defect and atrial septal defect. *Acta Paediatr*, 82(1), 71-76.
- Spurkland, I., rbae, T., & Hagemo, P. (2001). Psychosocial functioning in children after transplantation of the heart, and heart and lungs. *Cardiology in the Young*, 11(3), 277-284.
- Størdal, K., Nygaard, E. A., & Bentsen, B. (2001). Organic abnormalities in recurrent abdominal pain in children. *Acta Paediatrica*, 90(6), 638-642.

Vandvik, I. H., & Eckblad, G. (1991). Mothers of children with recent onset of rheumatic disease: associations between maternal distress, psychosocial variables, and the disease of the children. *Journal of Developmental & Behavioral Pediatrics, 12*(2), 84-91.

Vandvik, I. H., & Eckblad, G. F. (1994). The Two-Houses Technique: A clinical method for assessment of children's perception of their families. *Nordic Journal of Psychiatry, 48*(6), 401-407.

Vandvik, I. H., Fagertun, H., & Høyeraal, H. M. (1991). Prediction of short-term prognosis by biopsychosocial variables in patients with juvenile rheumatic diseases. *Journal of Rheumatology, 18*(1), 125-132.

Øie, M., & Rund, B. R. (1999). Neuropsychological deficits in adolescent-onset schizophrenia compared with attention deficit hyperactivity disorder. *Am J Psychiatry, 156*(8), 1216-1222.

Øie, M., Rund, B. R., & Sundet, K. (1998). Covert visual attention in patients with early-onset schizophrenia. *Schizophr. Res, 34*(3), 195-205.

Øie, M., Sunde, K., & Rund, B. R. (1999). Contrasts in memory functions between adolescents with schizophrenia or ADHD. *Neuropsychologia, 37*(12), 1351-1358.