

utnyttjande av dessa för forskningsändamål  
- Sammanfatta nuvarande kunskap (litteraturgenomgång) samt anordna symposium med nyc kelpersoner ca. 1½ år etter prosjektstart.

#### Etappe 2 (3 år):

- Utvärdering av material
- Syntes av delkunskap i produktionsmodeller
- Ev. avslutande symposium eller seminarium.

Prosjektutvalget foreslo en personramme på ½ person pr land med kompetense innen ADB, populasjonsdynamisk metodikk, statistisk analysemetodikk og/eller spes. reindriftsspørsmål. Samlet utgift beregnet til SEK 295 066.

Det var enighet i NOR om at prosjektet var sentralt og burde oppfølges. Arbeidsutvalget fikk i oppdrag å komme med forslag til det videre arbeide. Arbeidet innenfor feltet er allerede igang i Norge. Sverige og Finland har satt igang tiltak for å utarbeide et egnet merkeksystem.

## LITTERATURINFORMASJON

Cesium-137 content of soil and vegetation from Spitsbergen and continental Norway Suldal 1981.  
Kjos-Hanssen, B.; Torresdal, O. 1982. - Nord. Vet. Med. 34 (3): 98-100.

Variations in the glucuronidation rate and composition of the endoplasmic reticulum of the wild and semidomestic reindeer (*Rangifer tarandus*).  
Laitinen, M.; Nieminen, M.; Hietanen, E. 1982. - Comp. Biochem. Physiol. B. Comp. Biochem. 71 (3): 527-530.

Exchangeable sodium pool size and turnover in relation to diet in reindeer (*Rangifer tarandus*).  
Staaland, H.; Holleman, D. F.; Luck, J.R.; White, R.G. 1982. - Can. J. Zool. 60 (4): 603-610.

Digestibility of plants in ruminal fluids of barren ground caribou (*Rangifer tarandus groenlandicus*).  
Thomas, D.C.; Kroeger, P. 1981. - Arctic 34 (4): 321-324.

The relationship between fertility and fat reserves of Peary caribou (*Rangifer tarandus pearyi*).  
Thomas, D.C. 1982. - Can. J. Zool. 60 (4): 597-602.

The Chipewyan caribou hunting system.  
Irimoto, T. 1981. - Arct. Anthropol. 18 (1): 44-56.

Blood sucking mosquitoes (*Culicidae*) from southeastern and western Evenki National Okrug Russian RFSR, USSR.  
Mezenev, N.P. 1981. - Parasitologiya 15 (4): 354-359. (På russisk).

Variations in size and structure of vomero nasal organs in reindeer (*Rangifer tarandus tarandus*).  
Bertmar, G. 1981. - Arch. Biol. 92 (3): 343-366.

Cesium-137 concentrations in northern Alaskan USA eskimos 1962—1979. Effects of ecological, cultural and political factors.

Hansson, W. C. 1982. - Health. Phys. 42 (4): 433-448.

Vegetation organization and dynamics of lichen woodland communities in the North-West Territories, Canada.

Johnson, E. A. 1981. - Ecology 62 (1): 200-215.

Progesterone in pregnant and nonpregnant reindeer.

Rehbinder, C.; Edquist, L-E.; Riisten Arhed, U.; Nordkvist, M. 1981. - Acta Vet. Scand. 22 (3-4): 355-359.

Seasonal and sexual patterns of growth and condition of reindeer (*Rangifer tarandus tarandus*) introduced into South Georgia, South Pacific.

Leader-Williams, N.; Ricketts, C. 1982. - Oikos 38 (1): 27-39.

Lichens of Voyageurs National Park, Minnesota USA.

Wetmore, C.M. 1981. - Bryologist 84 (4): 482-491.

Influence of stress on some blood constituents in reindeer (*Rangifer tarandus*).  
Rehbinder, C.; Edquist, L-E. 1981. - Acta Vet. Scand. 22 (3-4): 480-492.

Nutrient and trace metal content and retention in reindeer lichen carpets of Finnish ombrotrophic bogs.  
Pakarinen, P. 1981. - Ann. Bot. Fenn. 18 (4): 265-274.

Relationship between a disease host density and mortality in a free living deer population.

Leader-Williams, N. 1982. - J. Anim. Ecol. 51 (1): 235-240.

Cesium-137 in meat from reindeer and grouses from Svalbard.

Kjos-Hanssen, B.; Rennesund, J.S. 1981. - Nord. Vet. Med. 33 (6-8): 271-273.

Ultrastructural study of the medulla of mammalian hairs.

Clement, J-L.; Hagege, R.; Le Pareaux, A.; Carteaud, J-P. 1981. - Scanning electron microsc. 1981 (3): 377-382.

Serological evidence of some bovine viruses in the caribou (*Rangifer tarandus caribou*) in Quebec, Canada.  
Elazhary, M.A.S.Y.; Frechette, J.L.; Silim A.; Roy, R.S. 1981. - J. Wildl. Dis. 17 (4): 609-612.

Forest types and research on multiple use forestry in northern Finland.

Sepponen, P. 1981. - Luonnon Tutkija 85 (2): 32-37. (På finsk).

Soil ecology of a lichen heath at Spitzbergen; Svalbard: Effects of artificial removing of the lichen plant cover.  
Sendstad, E. 1981. - J. Range Manage. 34 (6): 442-445.

The length growth rate biomass and production of *Cladonia arbuscula* and *Cladonia rangiferina* in a raised bog in southern Finland.

Vasander, H. 1981. - Ann. Bot. Fenn. 18 (3): 237-244.

- Serologic survey for selected microbial agents in mammals from Alberta, Canada 1976.  
 Zarnke, R.; Yill, T.M. 1981. - J. Wildl. Dis. 17 (3): 453-462.
- Physical and reproductive characteristics of an expanding woodland caribou (*Rangifer tarandus caribou*) population in northern Labrador, Canada.  
 Parker, G.R. 1981. - Can. J. Zool. 59 (10): 1929-1940.
- Reindeer lichen (*Cladina*) vegetation of rock outcrops on a coast-inland transect in South Finland.  
 Oksanen, J. 1981. - Ann. Bot. Fenn. 18 (2): 133-154.
- Application of the Varrio snow index to over-wintering North American barren ground caribou (*Rangifer tarandus arcticus*).  
 Pruitt, W.O. Jr. 1981. - Can. Field. Nat. 95 (3): 363-365.
- Twinning and post partum activity in barren ground caribou (*Rangifer tarandus*).  
 Mc.Donald, E.J.; Martell, A.M. 1981. - Can. Field. Nat. 95 (3): 354-355.
- Body growth and carcass composition of lean reindeer (*Rangifer tarandus tarandus*) from birth to sexual maturity.  
 Ringberg, T.M., White, R.G.; Holleman, D.F.; Luick, J.R. 1981. - Can. J. Zool. 59 (6): 1040-1044.
- Variation in cutaneous glandular structures in reindeer (*Rangifer tarandus*).  
 Mossing, T., Källquist, L. 1981. - J. Mammal. 62 (3): 606-612.
- Changes in the vegetation in pastures of Chukot National Okrug, Russian SFSR, USSR, as a result of reindeer grazing.  
 Polezhaev, A.N. 1980. - Ekologiya 0(5): 5-13. (På russisk).
- Taxonomic position of reindeer from Pavlodar Kazakh SSR, USSR and the origin of Neocervinae.  
 Vislobokova, I.A. 1980. - Paleontol ZH. 0(3): 91-106. (På russisk).
- Taxonomic notes on the Swedish domestic reindeer (*Genus Rangifer*).  
 Espmark, Y. 1981. - Zool. SCR. 10 (2): 155-159.
- Population increase of musk oxen (*Ovibos moschatus*) on Banks Island, Canada and implications for competition with Peary caribou (*Rangifer tarandus peary*).  
 Vincent, D.; Gunn, A. 1981. - Arctic 34 (2): 175-179.
- Behavioral response of barren ground caribou (*Rangifer tarandus granti*) to a moving vehicle.  
 Horejsi, B.L. 1981. - Arctic 34 (2): 180-185.
- Prey selection and consumption by Alaskan (USA) wolves (*Canis lupus pambasileus*) in winter.  
 Holleman, D.F.; Stephenson, R.O. 1981. - J. Wildl. Manage. 45 (3): 620-628.
- Echinococcosis in slaughtered reindeer (*Rangifer tarandus*) in northern Norway. Preliminary results of a combat eradication program.  
 Kummeneje, K.; Rognerud, B.; Korbi, K. 1981. - Acta Vet. Scand. 22 (3-4): 592-593.
- Depletion of bone-marrow fat in moose and a correction for dehydration.  
 Peterson, R.D.; Allen, D.L.; Dietz, J.M. 1982. - J. Wildl. Manage. 46 (2): 547-551.
- The energy expenditure of caribou (*Rangifer tarandus granti*) calves.  
 Luick, J.R.; White, R.G. 1981. - Proceedings of The 32nd Alaska Science Meeting. Proc. Alaska Sci. Conf. 32 (0): 70.
- Immobilization of caribou (*Rangifer tarandus*) with Ethorphine plus Acepromazine.  
 Fong, D.W. 1982. - J. Wildl. Manage. 46 (2): 560-562.
- Cutaneous besnoitosis in a Swedish reindeer (*Rangifer tarandus*).  
 Rehbinder, C.; Elvander, M.; Nordkvist, M. 1981. - Nord. Vet. Med. 33 (4-5): 270-272.
- Some elements of subsistence land and resource use within the range of the Porcupine caribou herd in Alaska, USA.  
 Pedersen, S.; Caulfield, R.A. 1981. - Proc. Alaska Sci. Conf. 32 (0): 34.
- Control of brucellosis in Alaskan reindeer (*Rangifer tarandus*).  
 Dieterich, R.A. 1981. - Proc. Alaska Sci. Conf. 32 (0): 112-113.
- The growth and mineralization of antlers.  
 Kay, R.N.B.; Phillippe, M.; Suttie, J.M.; Wenham, G. 1982. - J. Physiol. 322 (0) 4p.
- Brucellosis in Alaskan wildlife.  
 Morton, J.K. 1981. - Proc. Alaska Sci. Conf. 32 (0): 22.
- Caribou and domestic reindeer grazing on public lands in Alaska, USA. Analysis of the Buckland River conflict.  
 Robus, M.H.; Adams, L.G.; Connery, B.A. 1981. - Proc. Alaska Sci. Conf. 32 (0): 110-111.
- Caribou and domestic reindeer grazing on public lands in Alaska. Introduction to an unique management problem.  
 Adams, L.G.; Robus, M.B. 1981. - Wildl. Manage. Inst., Washington D.C., USA. Illus. Paper. 0 (0): 319-328.
- Caribou and domestic reindeer grazing on public lands in Alaska. Introduction to an unique management problem.  
 Adams, L.G.; Robus, M.H. 1981. - Proc. Alaska Sci. Conf. 32 (0): 109.
- Caribou winter utilization of burned habitats on the Bear Creek fire area in interior Alaska, USA.  
 Hinkes, M.T.; Campbell, B.H. 1981. - Proc. Alaska Sci. Conf. 32 (0): 123-124.

- Problems facing wildlife land management on Canadian forest land.
- Telfer, E.S.; Dauphine, T.C. 1981. - Wildl. Manage. Inst., Washington, USA. Illus. Paper. 0 (0): 358-368.
- Comparative social organization of alpine arctic wild reindeer during rut.
- Skogland, T. 1981. - Memo. Soc. Fauna Flora Fenn. 57 (1), 17.
- Hematological values for reindeer (*Rangifer tarandus tarandus*).
- Timisjärvi, J.; Nieminen, M.; Saari, E. 1981. - J. Wildl. Manage. 45 (4): 967-981.
- North American and Scandinavian tundras and polar deserts.
- Bliss, L.C. 1981. - In: Bliss, L.C., Heal, O.W. and Moore, J.J. (Eds) Int. Biol. Programme, Vol. 25. Tundra ecosystems: A comparative analysis. p 8-24.
- Immobilization of woodland caribou (*Rangifer tarandus caribou*) with Etorphine.
- Fuller, T.K.; Keith, L.B. 1981. - J. Wildl. Manage. 45 (3): 745-748.
- Optimum herd structure in Alaska reindeer herds.
- Arobio, E.L. 1981. - Agroborealis Alaska 13:32-37.
- Keratoconjunctivitis and oral/cutaneous lesions associated with poxvirus infection in reindeer.
- Barker, I.K.; Mehren, K.G.; Rapley, W.A.; Gagnon, A. 1980. - The comparative pathology of zoo animals (edited by R.J. Montali & G. Migaki), pp. 171-177.
- The herbivore based trophic system.
- Batzli, G.O.; White, R.G.; MacLean, S.F. Jr.; Pitelka, F.A.; Collier, B.D. 1980. - Brown et al (Ed.) US/IBP: Vol. 12. An arctic ecosystem: The coastal tundra at Barrow, Alaska. pp. 335-410.
- Mortality transmitters an important tool for studying reindeer (*Rangifer tarandus*) calf mortality.
- Bjärvall, A.; Franzén, R. 1981. - Ambio 10(1): 26-28.
- Studies on *Onchocerca tarsicola* Bain and Schulz-Key, 1974 in reindeer (*Rangifer tarandus*) in northern Finland.
- Bylund, G.; Hagerholm, H-P.; Krogell, C.; Nikander, S. 1981. - J. Helminth. 55(1): 13-20.
- Mechanisms of thermo regulatory adaptation of *Rangifer tarandus* to climatic conditions of the north USSR.
- Chernykh, N.A.; Vishnevetskaya, M.E. 1980. - Ekologiya 0(2): 89-93.
- Summer mortality among caribou calves in West Greenland.
- Clausen, B.; Dam, A.; Elvestad, K.; Krogh, H.V.; Thing, H. 1980. - Nord. Vet.med. 32(7/8): 291-300.
- Remains of the reindeer (*Rangifer tarandus*) from Raj cave near Kielce, Poland.
- Czyzewska, T.; Usnarska, K. - Dep. paleozool., Wrocław Univ. Sienkiewicza 21. pp. 50-335.
- Proposed convention for the conservation of migratory caribou and their environment.
- Dep. of State, Fish and Wildlife Service. 1980. pp. 113.
- Seasonal development of circadian and short-term activity in captive reindeer (*Rangifer tarandus* L.).
- Eriksson, L.O.; Källqvist, M.L.; Mossing, T. 1981. - Oecologia 48(1): 64-70.
- Predator prey problems in nature reserves of the European part of the Russian SFSR, USSR.
- Filonov, C. 1980. - J. Wildl. Manage. 44(2): 389-396.
- Monoamine oxidase activity in ox, elk and reindeer brains.
- Fowler, C.J.; Norquist, A.; Oreland, L.; Saramies, E.; Wiberg, A. - Comp. Biochem. Physiol. C. 68(2): 145-149.
- Physical characteristics of woodland caribou in northeastern Alberta, Canada.
- Fuller, T.K.; Keith, L.B. 1980. - Can. Field Nat. 94(3): 331-333.
- Woodland caribou (*Rangifer tarandus caribou*) population dynamics in northeastern Alberta, Canada.
- Fuller, T.K.; Keith, L.B. 1981. - J. Wildl. Manage. 45(1): 197-213.
- Discovery of reindeer (*Rangifer tarandus*) skeleton in the Query cave, Charente, France.
- Gomez, J.; Tuornepiche, J-F. 1980. - C.R. Hebd Seances Acad. Sci. Ser. D Sci. Nat. 290(20): 1301-1304.
- Caribou tracks in the semiarctic, a time - honoured biotope for mosquito larvae (*Culicidae*).
- Goyette, D.; Maire, A. 1980. - Can. Entomologist 112(10): 1007-1012.
- The current status and future of Peary caribou (*Rangifer tarandus peary*) on the arctic islands of Canada.
- Gunn, A.; Miller, F.L. 1981. - Biol. Conserv. 19(4): 283-296.
- Spontaneous aortic lesions in reindeer (*Rangifer tarandus* L.).
- Gupta, P.P.; Rehbinder, C. 1981. - Acta Vet. Scand. 22(1): 60-66.
- Infection in reindeer with the nematode *Elaphostrongylus rangiferi* Mitskevich in relation to climate and distribution of intermediate hosts.
- Halvorsen, O.; Andersen, J.; Skorping, A.; Lorentzen, G. 1980 - In: Proceedings of the 2nd Int. Reindeer/Caribou Symp. Roros, Norway, 1979 p. 449-455.