

LITTERATURINFORMASJON

(Artikler i Rangifer er ikke listet)

A.

Evolutionary trends in cladiniiform lichens.

Ahti, T. 1982. - J. Hattori Bot. Lab. No. 52: 331 - 341.

Reindeer herding in Finland, 1975 - 76. Production and labour. IGU-symposium on the problems of rural development in highlands and high-latitude zones, August 22 - 28, 1977.

Aikio, P. 1978. - Nordia, 12 (1): 273 - 282.

Poronhoito Lapinmaan elinkeinoa. (Reindeer herding as a livelihood in Lapland).

Aikio, P. 1982. - Research Institute of Northern Finland, University of Oulu, C. 42: 166 - 185.

National parks and Lappish reindeer husbandry.

Aikio, P. 1983. - Production pastorale et société. Bulletin de équipe écologie et anthropologie des sociétés pastorales, 12, 1983: 71 - 78.

Transportskader på rein ved ulike transportmidler.

Andersen, G. 1978. - Norsk Vet. Tidsskr. 90: 543 - 553.

B.

Presence of *Onchocerca tarsicola* Bain et Schultz-Key, 1974 chez le renne.

Bain, O., Reh binder, C. & Petit, G. 1979. - Ann. Parasitol. Hum. Comp. 54 (2): 263 - 265.

Un nematode aphasmiiden dans le capillaires de l'oreille du renne, *Lappinema auris*, n. gen., n. sp. (Robertdollfusidae).

Bain, O. & Nikander, S. 1983. - Ann. Parasitol. Hum. Comp., 58 (4): 383 - 390.

Dyregravene på Hardangervidda. En skisse av deres forekomst og bakgrunn.

Bakke, Ø. 1984. - Norsk Skogbruksmuseum, Årbok nr. 10: 129 - 198.

Dyregraver og fangstmetodikk.

Barth, E. K. 1984. - Norsk Skogbruksmuseum, Årbok nr. 10.: 199 - 218.

Murte fangstgraver for rein i Jämtland.

Barth, E. K. 1975. - Norsk Skogbruksmuseum, Årbok nr. 7: 113 - 120.

Rein og elg, livsviktige ressurser gjennom årtusener.

Barth, E. K. 1981. - Fauna, 34 (4): 150 - 161.

Konstruksjon og bruk av fangstgraver i skog.

Barth, E. K. 1981a. - Norsk Skogbruksmuseum, Årbok nr. 9: 272 - 298.

Rein og elg, livsviktige ressurser gjennom årtusener.

Barth, E. K. 1981b. - Fauna 34: 150 - 161.

Clinical problems of the brucellosis of reindeer in man.

Belov, G. F., Gudoshnik, A. N., Zakharov, V. V., Chernuka, A. D. & Gorbacheva, N. P. 1980. - Klin. Med (Moskva), 58 (2): 38 - 40. (på russisk).

Antipredator tactics of calving caribou - Dispersion in mountains.

Bergerud, A. T., Butler, H. E. & Miller, D. R. 1984. - Can. J. Zool. 62: 1566 - 1575.

The buffalo of the north caribou, *Rangifer tarandus*, and human developments.

Bergerud, A. T., Jakimchuk, R. D. & Carruthers, D. R. 1984. - Arctic, 37 (1): 7 - 22.

Plasma levels of progesterone and oestradiol-17 beta in reindeer (*Rangifer tarandus tarandus*) during pregnancy.

Blom, A. K., Sjaastad, O. V. & Jacobsen, E. 1983. - Acta Vet. Scand. 24 (3): 287 - 294.

The infectivity of some nematode parasites of reindeer, *Rangifer tarandus*, and elk, *Alces alces* for cattle and sheep.

Borgsteede, F. H. M. 1982. - Z. Parasitenkd. 67 (2): 211 - 216. (BIOSIS).

Seasonal variation of three ketones in the interdigital gland secretion of reindeer (*Rangifer tarandus* L.).

Brundin, A. & Andersson, G. 1979. - J. Chem. Ecol. 5 (6): 881 - 889.

Abomasal nematodes of the Svalbard reindeer, *Rangifer tarandus platyrhynchus* Vrolik.

Bye, K. & Halvorsen, O. 1983. - J. Wildl. Dis. 19 (2): 101 - 105.

C.

Mechanisms in adaptations of thermo-regulation by *Rangifer tarandus* under the climatic conditions of the north.

Chermnykh, N. A. & Vishnevetskaya, M. E. 1980. - Ekologija, (2): 89 - 93.

D.

Alaskan Wildlife Diseases.

Dieterich, R. A. (editor), 1981, - Inst. of Arctic Biology, Univ. of Alaska, 524 pp.

Reindeer Health Aide Manual.

Dieterich, R. A., Morton, J. K. & Raich, S. L., prepared by, 1981. - Inst. of Arctic Biology and Cooperative Extension Service, Univ. of Alaska and U.S. Dept. of Agric. Cooperating. P-46, pp 158.

E.

Neutralizing antibodies to bovine herpesvirus 1 in reindeer.

Ek-Kommonen, C., Veijalainen, P., Rantala, M. & Neuvonen, E. 1982. - Acta Vet. Scand. 23: 565 - 569.

Renbetning vinterstid. Undersökningar rörande svensk tamrens näringsekologi under snöperioder.

Eriksson, O., Palo, T. & Söderström, L. 1981. - Växtekologiska studier, Svenska Växtgeografiska Sällskapet, Uppsala. 92 pp.

F.

Parapox virus infections of reindeer and musk-ox associated with unusual human infections.

Falk, E. S. 1978. - Brit. J. Dermatol. 99 (6): 647 - 654.

Rabies in Svalbard. Background, course and implications for human medicine.

Flatla, T. & Bjorvatn, B. 1981. - Tidsskr. Norske Legefor. 101 (2): 145 - 147. (på norsk).

G.

Interrelationships of wolves, *Canis lupus*, prey and man in interior Alaska, USA.

Gasaway, W. C., Stephenson, R. O., Davis, J. L., Shepherd, P. E. K. & Burris, O. E. 1983. - Wildl. Monogr. 0 (84): 1 - 50. (BIOSIS).

Immunreactions to first stage larvae of *Elaphostrongylus rangiferi* (Nematoda: Metastrongyloidea) in reindeer, *Rangifer tarandus*.

Gaudernack, G., Stokkan, K. A., Halvorsen, O. & Skorping, A. 1979. - Inst. parasit, Åbo Akademi 15: 25 - 26.

Humoral Immunity and output of first-stage larvae of *Elaphostrongylus rangiferi* (Nematoda, Metastrongyloidea) by infected reindeer, *Rangifer tarandus tarandus*.

Gaudernack, G., Halvorsen, O., Skorping, A. & Stokkan, K. A. 1984. - J. Helminthol. 58 (1): 13 - 18.

Shedding of *Hammondia heydorni*-like oocysts by foxes fed muscular tissue of reindeer (*Rangifer tarandus*).

Gjerde, B. 1983. - Acta Vet. Scand. 24 (2): 241 - 243.

The domestic reindeer (*Rangifer tarandus*) from Northern Norway as intermediate host for 3 species of sarcocystis.

Gjerde, B., & Bratberg, B. 1984. - Acta Vet. Scand. 25 (2): 187 - 194.

Sarcocystis infection in wild reindeer (*Rangifer tarandus*) from Hardangervidda in Southern Norway - with a description of the cysts of *Sarcocystis hardangeri* N-sp.

Gjerde, B. 1984. - Acta Vet. Scand. 25 (2): 205.

A light microscopic comparison of the cysts of 4 species of sarcocystis infecting the domestic reindeer (*Rangifer tarandus*) in Northern Norway.

Gjerde, B. 1984. - Acta Vet. Scand. 25 (2): 195.

Pathogenicity and immunogenicity of strains of *Trichophyton verrucosum* from different sources.

Golovina, N. P., Ivanova, L. G. & Polyakov, I. D. 1982. - Byulleten Vsesoyuznogo Instituta Experimental'noi Veterinari, 45: 59 - 61. (på russisk) (BIOSIS)

Mecistocirrus infection in deer.

Gorodovich, N. M. 1983. - Veterinariya, No. 8: 42 - 44. (på russisk).

H.

Osteomyelitis and arthritis in a caribou.

Haigh, J. C., Pharr, J. W. & Dadust, P. Y. 1979. - J. Amer. Veter. 175 (9): 996 - 998.

Teeth as a base for age determination in deer, moose and reindeer.

Hals, E. 1981. - Norsk Tannlægefor. Tidsskr. 91 (5): 151 - 155. (på norsk).

The occurrence of *Elaphostrongylus rangiferi* (Nematoda: Metastrongyloidea) in domestic reindeer in relation to climatic and topographic differences among summer pasture areas.

Halvorsen, O. 1979. - Inst. parasit. Åbo Akademi 15: 23 - 24.

Experimental reinfection of reindeer (*Rangifer tarandus*) with *Elaphostrongylus rangiferi*.

Halvorsen, O. & Skorping, A. 1981. - Infor. 16, Inst. Parasitol. Åbo Akademi: 48.

- General properties of population dynamic rates in the life cycle of *Elaphostrongylus rangiferi* (Nematoda).
Halvorsen, O. & Skorping, A. 1981. - Infor. 16, Inst. Parasitol. Åbo Akademi: 97 - 98.
- The influence of climate on epidemiological dynamics.
Halvorsen, O. 1983. - Nord. Council Arctic Med. Res. Rep. 35: 69 - 71.
- Elaphostrongylus* sp. (Nematoda, Metastrongyloidea) and other helminths in faeces of moose (*Alces alces* (L.)) in North Norway.
Halvorsen, O. & Wissler, K. 1983. - Fauna norv. Ser. A4: 37 - 40.
- Physiological responses and effects on meat quality in reindeer (*Rangifer tarandus*) transported in lorries.
Hanssen, I., Kyrkjebø, A., Opstad, P. K. & Prøsch, R. 1984. - Acta Vet. Scand., 25: 128 - 138.
- Serological study of caribou on the George River and Lake Mitsinibi for brucellosis, leptospirosis, toxoplasmosis and tularaemia (1980).
Higgins, R. 1980. - Faculty of Vet. Med., University of Montreal, Report. (på fransk).
- Vegetationskortlægning i rensdyrenes fourageringsområder (Sisimut kommune) baseret på luftfotografering og floristiske undersøgelser.
Holt, S. 1983. - Specialeopgave, Institut for Systematisk Botanik, Københavns Universitet.
- I.**
Hunters, pastoralists and ranchers: reindeer economies and their transformations.
Ingold, T. 1980. - Cambridge Studies in Social Anthropology, 326 pp. Cambridge University Press.
- J.**
A vascular flora of the Caribou Range, Northwest Territories, Canada.
Jasieniuk, M. A. & Johnson, E. A. 1979. - Rhodora 81, No. 826: 249 - 274.
- K.**
Fibre composition and enzyme activities in five different muscles from the Svalbard reindeer.
Kiessling, K.-H. & Kiessling, A. 1984. - Comp. Biochem. Physiol. 77 (1): 75 - 78.
- Trypanosoma cervi* in elk and other Cervidae: a review.
Kinston, N., Morton, J. K. & Thorne, E. T. 1979. - In Boyce, M. & Hayden-Wing, eds: North American elk, ecology, behavior and management, University of Wyoming: 229 - 235.
- Trypanosoma cervi* from Alaskan reindeer, *Rangifer tarandus*.
Kingston, N., Morton, J. K. & Dieterich, R. 1982. - J. Protozool. 29 (4): 588 - 591.
- Distribution and status of wild reindeer in the Soviet Union.
Klein, D. R. & Kuzyakin, V. 1982. - J. Wildl. Manage. 46 (3): 728 - 733.
- Antiparasitic effect of tetramisolum and oxfendazole (INN) on reindeer (*Rangifer tarandus tarandus* L.) in natural conditions, with special reference to weight gain.
Kurkela, P. 1982. - Proc. 14th Nordic Vet. Congr., page 409.
- Olfactory recognition between mother and calf in reindeer (*Rangifer tarandus tarandus*).
Källquist, L. & Mossing, T. 1982. - Appl. Anim. Ethol. 8: 561 - 565.
- L.**
Den moderne skogsvårdens inverkan på renskötsel. Konferens i Arvidsjaur 1982.
Lantbruksstyrelsen, Meddelande 1984: 2. 107 pp.
- Undersøgelser over tamrenbestanden (*Rangifer tarandus tarandus* L) ved Itivnera, Vestgrønland: Biotopudnyttelse og vækstforhold.
Lassen, P. 1981. - Specialeopgave, Vildtbiologisk Station, Kalø, 65 pp.
- Undersøgelser over tamrenbestanden (*Rangifer tarandus tarandus* L) ved Itivnera, Vestgrønland.
Lassen, P. & Aastrup, P. 1981. - Danske Vildtundersøgelser 35, 36 pp.
- Ovarian characteristics and reproductive performance of reindeer, *Rangifer tarandus*.
Leader-Williams, N. & Rosser, A. M. 1983. - J. Reprod. Fert. 67 (2): 247 - 256.
- Age dependance of photosynthesis in the caribou lichen *Cladonia stellaris*.
Lechowicz, M. J. 1983. - Plant Physiol. 71 (4): 893 - 895.

M.

Rumen microbial adaptation to fiber digestion in Svalbard reindeer.

Mathiesen, S. D., Orpin, C. G. & Blix, A. S. 1984. - Can. J. Anim. Sci. 64 (Suppl.): 261 - 262.

Bibliography of reindeer/caribou disease investigators.

Morton, J. K. & Dieterich, R. A. 1983. - Occ. Publics. on Northern Life No. 4. Inst. of Arctic Biol., Univ. of Alaska.

N.

Annual blood catecholamine, thyroxine, lipid and glucose levels in growing and fully-grown reindeer.

Nieminen, M., Timisjärvi, J., Ojutkangas, V. & Hissa, R. 1980. - Szeleny, Z. & Szeleky, M. eds.: Satellite of the 28. Int. Congr. Physiol: 345 - 348.

Poron kasvu ja poron kemiallinen koostumus. (Growth in the reindeer and the chemical composition of the reindeer meat).

Nieminen, M. 1983. - Suomen Riista, 1983 (30): 90 - 104. (finsk med eng. sammendrag).

Metsäpeuran palautusistutus ja stressi. (Reintroduction of wild forest reindeer and stress).

Nieminen, M. & Laitinen, M. 1983. - Suomen Riista, 1983 (30): 34 - 45.

Serum-lipids, thyroxine and catecholamine levels in the reindeer with reference to the annual climatic cycle.

Nieminen, M., Ojutkangas, V., Timisjärvi, J. & Hissa, R. 1984 - Comp. Biochem. Physiol. 79A (1): 87 - 92.

Heart rate and energy expenditure in resting and running Svalbard and Norwegian reindeer, *Rangifer tarandus tarandus* and *R. t. platyrhynchus*, summer, winter metabolic rate.

Nilssen, K. J., Johnsen, H. K., Rognum, A. & Blix, A. S. 1984. - Am. J. Phys. 246 (6 part 2): 963 - 967.

Factors affecting energy expenditure in reindeer.

Nilssen, K. J. 1984. - Department of Arctic Biology, Institute of Medical Biology, University of Tromsø. 172 pp (Thesis consisting of 5 papers).

P.

Activites ludiques chez le renne et l'élan.

Pelosse, J. 1981. - J. Psychol. Norm. Pathol. 78 (2-3): 197 - 214.

R.

Undersøgelser over biomassens variation samt den overjordiske produktion på en udvalgt græsningsbiotop i Sdr. Strømfjord området.

Rehder, S. 1981. - Specialeopgave, Institut for Økologisk Botanik, Københavns Universitet, 65 pp.

Mortality in Svalbard reindeer.

Reimers, E. 1983. - Holarctic Ecol. 6 (2): 141 - 149.

History status and taxonomic identity of caribou (*Rangifer tarandus*) in Northwest Greenland.

Roby, D. D., Thing, H. & Brink, K. L. 1984. - Arctic, 37 (1): 23 - 30.

Behavior of West Greenland caribou during a population decline.

Roby, D. D. & Thing, H. 1983. - Holarctic Ecology.

Genetic polymorphism of the amylases found in species of Artiodactyla by means of polyacrylamide gel electrophoresis.

Rozkhov, IuI, 1983. - Genetika 19 (3): 488 - 497. (på russisk).

Seasonal changes in the relationship between food-intake and serum triiodothyronine in reindeer.

Ryg, M. 1984. - Comp. Bioch. A, 78 (3): 427 - 429.

Effects of nutrition on seasonal changes in testosterone levels in young male reindeer (*Rangifer tarandus tarandus*).

Ryg, M. 1984. - Comp. Biochem. Physiol. 77 (4): 619 - 621.

S.

Seasonal differences in metabolism and thermoregulation of *Rangifer tarandus*.

Segal, A. N. 1983. - Zool. ZH. 62 (3): 425 - 430. (på russisk).

Identification de 13 alleles du locus TF chez le renne (*Rangifer tarandus* L).

Shubin, P. N. & Ionova, T. A. 1983. - Citologija i Genetika, 17 (3): 60 - 63. (på russisk m/eng. sammendrag).

Treatment of reindeer with necrobacillosis.

Silkov, A. M., Pilipenko, A. A., Afanasev, V. P. & Parfenov, I. I. 1980. - Veterinariia (4): 37 - 38. (på russisk).

- Vattenutbyggnadens effekter på levande natur. En faktaredovisning övervägande från Umeälven. Sjörs, H. & Nilsson, C. 1976. - Växtekologiska studier. Svenska Växtgeografiska Sällskapet, Uppsala. 120 pp.
- Reindeer.
Skjenneberg, S. 1984. - In: Mason, I. L. (Editor), *Evolution of domesticated animals*, Chapter 15: 128 - 138. Longman, London & New York.
- The effects of density-dependent resource limitation on size of wild reindeer.
Skogland, T. 1983. - *Oecologia* (Berl.), 60: 156 - 168.
- Elaphostrongylus rangiferi* (Nematoda: Metastrongyloidea) in the intermediate host: The degree of susceptibility of the terrestrial gastropods.
Skorping, A. & Halvorsen, O. 1979. - *Inst. parasit. Åbo Akademi*, 15: 24 - 25.
- The effect of temperature and larval age on the infectivity of *Elaphostrongylus rangiferi* (Nematoda: Metastrongyloidea) to the gastropod *Arianta arbustorum*.
Skorping, A. 1980. - *Proc. Third. Europ. Multicoll. Parasit.*, Cambridge: 113.
- The susceptibility of terrestrial gastropods to experimental infection with *Elaphostrongylus rangiferi* Mitskevich (Nematoda: Metastrongyloidea).
Skorping, A. & Halvorsen, O. 1980. - *Z. Parasitenkd.* 62: 7 - 14.
- The influence of temperature, substrate and larval age on the infection rate in the intermediate host, *Arianta arbustorum*.
Skorping, A. 1982. - *Experim. Parasitol.* 54: 222 - 228.
- Experimental studies on the host-parasite relationship of the metastrongyloid nematode *Elaphostrongylus rangiferi* in the snail intermediate host, *Arianta arbustorum*.
Skorping, A. & Halvorsen, O. 1982. - *Mol. Biochem. Parasit. Suppl.* 569.
- Density-dependant effects in a parasitic nematode, *Elaphostrongylus rangiferi*, in the snail intermediate host.
Skorping, A. 1984. - *Oecologia* 64 (1): 34 - 40.
- Genetisk variasjon hos rein (*Rangifer tarandus* L.).
Soldal, A. V. 1980. - *Dr. scient. avhandling*, Norges Landbrukshøgskole, Zoologisk institutt. 152 pp.
- Undersøgelser over Vestgrønlands rendyr.
Strandgaard, H. 1980. - *Tidsskr. Grønland*, 5: 145 - 152.
- The effect of mineral supplements on nutrient concentrations and pool sizes in the alimentary tract of reindeer fed lichens or concentrates during the winter.
Staaland, H., Jacobsen, E. & White, R. G. 1984. - *Can. J. Zool.* 62 (7): 1232 - 1241.
- Chemical composition of reindeer forage plants in Svalbard and Norway.
Staaland, H., Brattbakk, I., Ekern, K. & Kildemo, K. 1983. - *Holarctic Ecol.* 6 (2): 109 - 122.
- T.**
Moder-kalv adfærd hos den vestgrønlandske vildren (*Rangifer tarandus groenlandicus* Gmlin.)
Thing, H. 1980. - *Specialeopgave, Zoologisk Laboratorium, Københavns Universitet*, 73 pp.
- Feeding ecology of the West Greenland caribou (*Rangifer tarandus groenlandicus* Gmlin) in the Holsteinborg - Sdr. Strømfjord region.
Thing, H. 1981. - *Aarhus Universitet, Det Naturvidenskabelige Fakultet*. 111 pp. ill. Licentiatforhandling.
- Feeding ecology of the West Greenland caribou (*Rangifer tarandus groenlandicus*) in the Sismiut-Kangerlussuaq region.
Thing, H. 1984. - *Danish Review of Game Biology*, 12 (3): 56 pp.
- Differentiation of *Brucella suis* biotype 4 from other biotypes by Phirenze phage.
Thomas, E. L. & Corbel, M. J. 1982. - *Brit. Vet. J.* 138 (1): 11 - 17.
- In vitro digestibilities of plants utilized by barren-ground caribou, *Rangifer tarandus groenlandicus*.
Thomas, D. C., Kroeger, P. & Hervieux, D. 1984. - *Arctic* 37 (1): 31 - 36.
- The structure and insulation properties of the reindeer fur.
Timisjärvi, J., Nieminen, M. & Sippola, A.-L. 1984. - *Comp. Biochem. Physiol.* 79A (4): 601 - 609.
- Metabolic profile of caribou of northern Quebec in 1980.
Tremblay, A. 1980. - *University of Montreal, Faculty of Vet. Medic. Report with tables.* (på fransk).

U.

Results achieved with the rose bengal test for brucellosis in animals.

Ulasevich, P. S., Kas'yanov, A. N., Malakhova, T. I., Klimanov, A. I., Plotnikov, E. S., Bel'chenko, V. B., Saidasheva, S. E. & Kas'yanov, I. A. 1981. - Byulletin Vsesoyuznogo Instituta Experimental'noi Veterinarii. 43: 42 - 46 (på russisk) (*BIOSIS*).

V.

Renal responses of reindeer to high and low protein diet and sodium supplement.

Valtonen, M. 1979. - J. Scient. Agric. Soc. Finl., 51: 381 - 419 (Thesis).

Retention of electrolytes and water during the mating season in reindeer.

Valtonen, M. & Eriksson, L. 1979. - Acta Phys. Scand. Suppl. 473: 47.

Introduced reindeer and their effects on the vegetation and the epigeic invertebrate fauna of South Georgia, Subantarctic.

Vogel, M., Remmert, H. & Smith, R. I. L. 1984. - Oecologia (Berl.) 62 (1): 102 - 109.

W.

Movements of collared caribou, *Rangifer tarandus*, in relation to petroleum development of the Arctic slope of Alaska.

Whitten, K. R. & Cameron, R. D. 1983. - The Can. Field Naturalist, 97 (2): 143 - 146.

Thermoregulation in newborn reindeer calf.

Wika, M., Krog, J. & Bjarghov, R. 1979. - In: Abstracts from XVI Scand. Congr. of Physiol. and Pharmacol., Oulu.: 53.

Z.

The serologic survey for selected microbial pathogens in Alaskan, USA wildlife.

Zarnke, R. L. 1983. - J. Wildl. Dis. 19 (4): 324 - 329. (*BIOSIS*).

Serologic and experimental investigations of contagious ecthyma in Alaska, USA.

Zarnke, R. L., Dieterich, R. A., Neiland, K. A. & Ranglack, G. 1983. - J. Wildl. Dis. 19 (3): 170 - 174. (*BIOSIS*)

Serologic evidence of arbovirus infections in humans and wild animals in Alaska, USA.

Zarnke, R. L., Calisher, C. H. & Kerschner, J. 1983. - J. Wildl. Dis. 19 (3): 175 - 179. (*BIOSIS*)

Ø.

Modern techniques for determination of carrying capacity on reindeer range: Practical example from the Spitsbergen tundra.

Øritsland, N. A. & Ødegaard, H. A. 1981. - Proc. UNESCO-MAB conf., Paris, Aug. 1981.

Å.

Övergång från vinterbete till kraftfoderutfodring av ren.

Åhman, B. & Åhman, G. 1980. - Inst. för husdjurens utfodring och vård, Sveriges Lantbruksuniversitet. Rapport 76, 65 pp.

Renens mineralstatus under vintern i relation till svält och utfodring.

Åhman, B. 1982. - Proc. XIV Nordiske Veterinærkongres, København: 431.