

LITTERATURINFORMASJON

B.

- Clinical problems of reindeer brucellosis in man.
Belov, G. F. 1980. - Klin. Med. (Mosk.) 58 (2): 38 - 40. (Oversatt til engelsk i: NAL: Transl. 30866)
- Growth of the Avalon peninsula, Newfoundland caribou herd (*Rangifer tarandus*).
Bergerud, A. T., Nolan, M. J., Kurnev, K. & Mercer, W. E. - J. Wildl. Manage. 47 (4): 984 - 988.
- Antipredator tactics of calving caribou (*Rangifer tarandus*) dispersion in mountains.
Bergerud, A. T., Butler, H. E. & Miller, D. R. 1984. - Can. J. Zool. 62 (8): 1566 - 1575.
- The effects of feeding whole-grain barley to free-ranging and penned reindeer.
Blanchard, J. M., Hauer, W. E. & Luick, J. R. 1983. - Agroborealis 15: 57 - 60.
- Seasonal diets of the Denali caribou, *Rangifer tarandus granti*, Alaska USA.
Boertje, R. D. 1984. - Arctic 37 (2): 161 - 165.
- Uranium accumulation in the lichen *Cladonia rangiferina*. 1. Uptake of cationic, neutral and anionic forms of the uranyl-ion.
Boileau, L. Jr., Nieboer, E. & Richardson, D.H.S. 1985 - Canad. Journ. of Botany. AEK89 63 (3): 384 - 389.
- Uranium accumulation in the lichen *Cladonia rangiferina*. 2. Toxic effects of cationic, neutral and anionic forms of the uranyl ion.
Boileau, L. Jr., Nieboer, E. & Richardson D.H.S. 1985 - Canad. Journ. of Botany. AEK89 63 (3): 390 - 397.
- Distribution and habitat use of caribou, *Rangifer tarandus caribou* and moose, *Alces alces andersoni*, in the Spatsizi plateau wilderness area, British Columbia.
Boonstra, R. & Sinclair, A. R. 1984. - Can. Field Nat. 98 (1): 12 - 21.
- Warble fly control in Europe.
Boulard, G. & Thornberry, H. 1982. - In: Symposium in EC Programme of Coordination of Research on Animal Pathology, Brussels, Belgium, Sept. 16 - 17 1982. IX + 156 p. A. A. Balkema, Rotterdam.
- Parasitter hos Svalbardrein.
Bye, K. 1983. - Fauna 36 (3): 82 - 85.

Isolation of *Elaphostrongylus rangiferi* from wild reindeer in Scandinavia.
Bye, K. & Halvorsen, O. 1984. - Vet. Rec. 115 (4): 87 - 87.

C.

- Caribou and petroleum development in arctic Alaska.
Cameron, R. D. 1983. - Arctic 36 (3): 227 - 231.
- Brucella rangiferi survival rate in the Polar zones (Diagnosis, prophylaxis and control of animal diseases in the Polar zone).
Chernykh, L. V. 1983. - Novosibirsk, p. 17 - 19. (på russisk).
- Long-term active layer effects of crude oil spilled in interior, Alaska.
Collins, C. M. 1983. - In: Int. Conf. Permafrost, Proc. 4: 175 - 179.

D.

- Habitat use movements and grouping behaviour of woodland caribou, *Rangifer tarandus caribou* in southeastern Manitoba, Canada.
Darby, W. R. & Pruitt, W. O. Jr. 1984. - Can. Field Nat. 98 (2): 184 - 190.
- Comment le lapons reconnaissent leurs rennes (manieres de classer les rennes; Suéde, Norvège (Laponie).
Delaporte, Y. 1982. - Sciences et Avenir no. 425, p. 96 - 102.

E.

- Apparent case of surplus killing of caribou, *Rangifer tarandus*, by gray wolves, *Canis lupus*.
Eide, S. & Ballard, W. B. 1982. - Can. Field Nat. 96 (1): 87 - 88.

F.

- The course of FMD in reindeer.
Fetisov, V. I. 1962. - Veterinariya (Mosk.) 39 (10): 55 - 56. (oversatt til eng. i NAL: TRANSL. 29989).
- Levels of trace elements in liver from Norwegian moose, reindeer and red deer in relation to atmospheric deposition.
Frøslie, A., Norheim, G., Rambæk, J. P. & Steinnes, E. 1984. - Acta Vet. Scand. 25 (3): 333 - 345.

G.

Population characteristics of the Burwash caribou herd in the southwestern Yukon estimated by capture recapture analysis.
Gauthier, D. A. & Theberge, J. B. 1985. - Can. J. Zool. 63 (3): 516 - 523.

The Fox as definitive host for *Sarcocystis* sp.
Gjerde, 1984 from skeletal muscle of reindeer (*Rangifer tarandus*) - with a proposal for *Sarcocystis tarandivulpes* N-sp. as replacement name.
Gjerde, B. 1984. - Acta Vet. Scand. 25 (3): 403 - 410.

Sarcocystis hardangeri and *Sarcocystis rangi* N. sp. from the domestic reindeer (*Rangifer tarandus*) in northern Norway.
Gjerde, B. 1984. - Acta Vet. Scand. 25 (3): 411 - 418.

The racoon dog (*Nyctereutes procyonoides*) as definitive host for *Sarcocystis* spp of reindeer (*Rangifer tarandus*).
Gjerde, B. 1984. - Acta Vet. Scand. 25 (3): 419 - 424.

H.

Neguvon and Tiguvon, their use in warble fly control. A review.
Hamel, H. D. 1984. - In: Boulard, C. & Thornberry, H. (Ed.): Warble fly control, in: Symposium in EC programme of coordination of research on animal pathology, Brussels, Sept. 16 - 17, 1982. IX + 156 p. A. A. Balkema, Rotterdam.

Prescribed burning from viewpoint of reindeer husbandry.
Helle, T. & Aspi, J. 1984. - Communicationes - Instituti Forestalis Fenniae, (120): 97 - 101.

Do sandy patches help reindeer, *Rangifer tarandus*, against insects?
Helle, T. & Aspi J. 1984. - Ann. Univ. Turk. Ser. A II Biol.-Geogr.-Geol. 0 (68): 57 - 62.

Determination of the winter-digging period of semi-domestic reindeer, *Rangifer tarandus tarandus*, in relation to snow conditions and food resources.

Helle, T. & Tarvainen, L. 1984. - Ann. Univ. Turk. Ser. A II Biol.-Geogr.-Geol. 0 (68): 49 - 56.

Foraging behaviour of the semi-domestic reindeer, *Rangifer tarandus*, in relation to snow in Finnish Lapland.

Helle, T. 1984. - Ann. Univ. Turk. Ser. A II Biol.-Geogr.-Geol. 0 (68): 35 - 48.

J.

Seasonal changes in the relative importance of different avenues of heat loss in resting and running reindeer, *Rangifer tarandus tarandus*.
Johnson, H. K., Rognmo, A., Nilssen, K. J. & Blix, A. S. 1985. - Acta Physiol. Scand. 123 (1): 73 - 80.

Utdredningen om Koncessionsrensköteln.

Jordbruksdepartementet, Stockholm, 1984. - Liber Förlag, Stockholm, 68p.

Glucuronidation in the reindeer, *Rangifer tarandus tarandus*, dietary modification in the UDP-glucuronosyltransferase EC-2.4.17 activity with 4-nitrophenol, 1-naphtol and phenolphthalein as acceptors.

Juvonen, R., Laitinen, M., Hietanen, E. & Nieminen, M. 1984. - Int. J. Biochem. 16 (10): 1083 - 1086.

K.

Stewart-Hamilton and gamma-variate methods in computer analysis of dye curves.

Kettunen, R., Timisjärvi, J., Kouvalainen, E., Koskela, M., Nuutinen, L. & Heikkila, J. 1984. - Scand. J. Clin. Lab. Invest. 44 (7): 587 - 594.

Sedative effects of xylazine hydrochloride on deer.
Kim, M., - C. 1981. - Korean J. Vet. Res. 21 (2): 145 - 150.

Trial of etacide as a means for heel fly control in reindeer in Murmanskaia region. Veterinary entomology and acarology.

Klement'eva, E. V. 1983. - Utgitt i Moskva, tidsskr. ukjent. p. 323 - 326. (på russisk).

Metabolism of wild ruminants (reindeer and moose).

Kochanov, N. E. & Golosov, I. M. 1981. - Nauka, Leningrad, 192 pp.

L.

Regulatory aspects of lipogenesis and lipolysis in isolated adipocytes from the Svalbard reindeer.

Larsen, T. S. & Blix, A. S. 1984. - Can. J. Anim. Sci. 64: 242 - 243.

- Seasonal changes in lipogenesis and lipolysis in isolated adipocytes from Svalbard and Norwegian reindeer, *Rangifer tarandus* ssp.
 Larsen, T. S., Nilsson, N. O. & Blix, A. S. 1985. - Acta Physiol. Scand. 123 (1): 97 - 104.
- Conservation of repetitive DNA sequences in deer species studied by southern blot transfer.
 Lima de Faria, A., Arnason, U., Widegren, B., Essen-Möller, J., Isaksson, M. & Olsson, E. 1984. - J. Mol. Evol. (Deu.) 20 (1): 17 - 24.
- M.**
- Some aspects of thermoregulation in newborn reindeer calves (*Rangifer tarandus tarandus*).
 Markussen, K. A., Rognmo, A. & Blix, A. S. 1985. - Acta Physiol. Scand. 123 (2): 215 - 220.
- A system for inventory of reindeer winter ranges in Finland. (Integrated forest inventory).
 Mattila, E. 1984. - Communicationes Instituti Forestalis Fenniae. (120): 102 - 108.
- Forestry and reindeer husbandry in Sweden: some aspects on the development of a double land-use.
 Mattson, L. 1984. - Communicationes Instituti Forestalis Fenniae. (120): 89 - 96.
- Surplus killing as exemplified by wolf predation on newborn caribou.
 Miller, F. L., Gunn, A. & Broughton, E. 1985. - Canad. J. Zool. 63 (2): 295 - 300.
- Hair depths of the winter coat of white-tailed deer, *Odocoileus virginianus borealis*.
 Moen, A. N. & Severinghaus, C. W. 1984. - J. Mammal. 65 (3): 497 - 499.
- N.**
- Regulation of metabolic rate in Svalbard reindeer, *Rangifer tarandus platyrhynchus* and Norwegian reindeer, *Rangifer tarandus tarandus*.
 Nilssen, K. J., Sundsfjord, J. A. & Blix, A. S. 1984. - Am. J. Physiol. 247 (5 part 2): 837 - 841.
- P.**
- Charakteristik von Rentieren isolierter Brucellen.
 Parnas, J. & Sarnecka, B. 1963. - Zentralbl. Veterinärmed., Reihe B, 10 (7): 665 - 672.
- The taxonomic properties of Brucella isolated from reindeer, *Brucella Rangifer Pingin Meyer*.
 Parnas, J. 1967. - Ann. Sclavo. 9 (3): 397 - 413.
- Commercial reindeer production, an important reserve of meat.
 Pavlov, B. M. 1983. - Vestnik sel'skokhoziaistvennoi nauki Moskva (3): 119 - 121. (på russisk med eng. summary).
- Taxonomic state of Brucella isolated from reindeer.
 Pingin, A. F., Pethukova, D. S. & Merinov, S. P. 1983. - Zhurnal mikrobiologii, epidemiologii i immunobiologii (11): 103 - 105. (på russisk).
- Evolution of the *Elaphostrongylinae* nemetoda *Metastrongyloidea* *Protostrongylidae* parasites of cervid mammalia.
 Platt, T. R. 1984. - Proc. Helminthol. Soc. Wash. 51 (2): 196 - 204.
- R.**
- Interactions of wolves, *Canis lupus*, and polar bears, *Ursus maritimus*, in northern Manitoba, Canada.
 Ramsay, M. A. & Stirling, I. 1984. - J. Mammol. 65 (4): 693 - 694.
- Transferrin variability and reindeer management.
 Rød, K. H. 1984. - Hereditas 101 (2): 284 - 284.
- S.**
- Western Greenland, a living model for the Glacial period in the Alpine foreland.
 Scholz, H. 1984. - Nat. Mus. 114 (4): 89 - 102.
- Correlation of the form of extracellular epicardial potentials with the sequence of exitation of intramural layers of the myocardium in vertebrates.
 Shmakov, D. N. 1984. - Zh. Evol. Biokhim. Fiziol. 20 (1): 112 - 113. (på russisk).
- Wild reindeer meat processing.
 Shtele, A. L. & Solomakha, O. I. 1983. - Vestnik sel'skokhoziaistvennoi nauki Moskva (3): 137 - 138. (på russisk med eng. summary).
- Genetic interrelations between the domestic and wild reindeer (*Rangifer tarandus*).
 Shubin, P. N. & Ionova, T. A. 1984. - Zool. Zh. 63 (11): 1725 - 1730. (på russisk).
- Temporal variability of frequencies of locus EST-p-3 alleles in an island reindeer population drift.
 Shubin, P. N. 1984. - Dokl. Akad. Nauk. Ukr SSR Ser B Geol Khim Biol Nauki 0 (5): 75 - 78 (på russisk).

Reindeer.

Skjenneberg, S. 1984. - In: I. L. Mason (Ed.) Evolution of domesticated animals. Longman, London. p. 128 - 138.

Determination of energetic metabolism by the frequency of heart contractions in the reindeer (*Rangifer tarandus* L.).

Sokolov, A. Ya. & Zadal'skii, S. V. 1984. - Ekologija (Sun), 4, p. 86 - 87 (på russisk).

Energetic costs of reindeer locomotion.

Sokolov, A. Ya. & Zadal'skii, S. V. 1984. - S-KH Biol 0 (10): 114 - 115. (på russisk).

Varbex and Baitex in the control of reindeer gadfly.

Solomakha, A. I. 1976. - Veterinarue (Mosk) 9: 47 - 48 (Oversatt til engelsk, NAL: Transl. 30984).

Biochemical mechanisms responsible for the larvicidal effect of o,o-dimethyl-o-(4-methylmercapto-3 methylphenyl)-thiophosphate on the larva of reindeer hypoderma.

Solomakha, A. I. 1983. - Veterinarnaya enthomologiya i acarologiya, p. 64 - 69. (på russisk).

Hypoderma invasion of wild reindeer.

Solomakha, A. I. Arsent'eva, N. F. & Krakovetskaya, N. G. 1983. - Ecology and rational use of terrestrial vertebrates in the north of Middle Siberia, Novosibirsk, p. 46 - 50. (på russisk).

Serologic diagnosis of the infection caused by early developmental stages of *Oedemagena tarandi* larvae of reindeer.

Solopov, N. V. & Kalinina, N. G. 1984. - Parasitologiya (Leningr.) 18 (4): 275 - 279. (på russisk).

Amidophos and riciphine involved in the control of gadfly larvae of reindeer.

Solopov, N. V. & Elin, E. S. 1983. - Khimiya v sel'skom khozyajstve (12): 41 - 42. (på russisk).

Efficiency and toxicity of insecticides for reindeer.

Solopov, V. N. & Zaboltnyj, K. F. 1983. - Veterinariaya enthomologiya i akarologiya, p. 57 - 63. (på russisk).

Eskimos, reindeer and land. (Alaska).

Stern, R. D., Arobio, E. L., Naylor, L. L. & Thomas, W. C. 1980. - Bull. Alaska Agric. Exper. Station no. 59, 205 p.

T.

Adaptation of some large North American mammals for survival in snow.

Telfer, E. S. & Kelsall, J. P. 1984. - Ecology 65 (6): 1828 - 1834.

Rumen contents and habitat selection of Peary caribou in winter, Canadian Arctic Archipelago.

Thomas, D. C. & Edmonds, J. 1983. - Arctic and Alpine Research 15 (1): 97 - 105.

Public policy and the future of Alaska's reindeer industry.

Thomas, W. C. & Arobio, E. L. 1983. - Agroborealis 15: 61 - 64.

Effects of lichen extracts on fungi. 2. Effects of joint preparation obtained from *Cladina stellaris* and *Cladina rangiferina* on growing soil fungi. Tolypshe, T. Y. 1984. - Mikol. Fitop. 18 (5): 384 - 388. (på russisk).

Effects of darting an netting on caribou in Alaska.

Valkenburg, P., Boertje, R. D. & Davis, J. L. 1983. - J. Wildl. Manage. 47 (4): 1233 - 1237.

Plate agglutination test for the diagnosis of reindeer brucellosis.

Vaskhevich, R. B. & Kas'yanov, I. A. 1983. - Epizootologiya i immunoprofilaktika boleznej sel'skohozyajstvennykh zhivotnykh, Novosibirsk p. 16 - 20. (på russisk).

Industrial reindeer meat processing.

Vystavnoi, A. I. 1983. - Vestnik sel'skhozaiastvennoi nauki Moskva (3): 135 - 136. (på russisk med eng. summary).

W.

Control of rumen turnover in northern ruminants (Reindeer and muskox fed high-quality diet).

White, R. G., Holleman, D. F., Schwartz, C. C., Regelin, W. L. & Franzman, A. W. 1984. - Can. J. Anim. Sci. 64 (suppl.): 349 - 350.

Secretion and absorption of nutrients in the alimentary tract of reindeer fed lichens or concentrates during the winter.

White, R. G., Jacobsen, E. & Staaland, H. 1984. - Can. J. Zool. 62 (12): 2364 - 2376.

Ulven i Sør-Varanger, Finnmark, vinteren 1981 - 82.

Wikan, S. & Mysterud, I. 1983. - Fauna 36 (1): 1 - 14.