

LITTERATURINFORMASJON

- A.**
Cladina stygia, a common, overlooked species of reindeer lichen.
Ahti, T. & Hyvonen, S. 1985. — *Annales Botanici Fennici* 22(3):223-229.
 Toxicity of Iceland and reindeer lichen.
Airaksinen, M., Peura, P. & Antere, S. 1985. — In: 26th congress of the European Society of Toxicology. Poster paper. European Society of Toxicology, 13(11).
 The influence of climatic variation on the birth weight of red deer (*Cervus elaphus*).
Albon, S. D., Guinness, F. E. & Clutton-Brock, T. 1983 — *J. Zool. (London)* 200:295-298.
 Fertility and body weight in female red deer: a density-dependent relationship.
Albon, S. D., Mitchell, B. & Staines, B. W. 1983. — *J. Anim. Ecol.* 52:969-980.
 Animales productores de leches diferentes a la vaca: 2 El reno.
Anonymus, 1985. — *Revista Espanola de Lecheria* No. 2, p. 53. (Spanish).
 The Saami reindeer breeders of Norwegian Lapland.
Anderson, M. 1985. — *American Scientist* 73(6):524-532.
- B.**
 Ecological role of the lichen cover in reindeer moss pine forests in the middle course of the Vychegda River, RSFSR, USSR.
Bakaeva, M. B. & Galanin, A. V. 1985. — *Ekologiya* 0(2):25-30. (Russian).
 Wolf predation on caribou — The Nelchina herd case history.
Van Ballenberghe, V. 1985. — *J. Wildl. Manage.* 49(3):711-720.
 Immunity in reindeer *Trichophyton* disease.
Baradiev, B. V. 1984. — *Biulleten' Vsesoiuznogo Instituta Eksperimental'noi Veterinariii Moskva: Institut* 54:26-27. (Russian)
 Prey switching in a simple ecosystem.
Bergerud, A. T. 1983. — *Sci. Amer.* 244:116-124.
 Antipredator strategies of caribou, *Rangifer tarandus*, dispersion along shorelines.
Bergerud, A. T. 1985. — *Can. J. Zool.* 63(6):1324-1329.
 The role of selfregulation in living resources management in the North.
Berkes, F. 1981. — In: Freeman, M. M. R. (Ed.): *Renewable resources and the economy of the North. Proc. 1st. Int. Symp. on Renewable Res. and the Economy of the North, Banff, Alberta, Canada 1981:166-178.*
 Nutritional ecology of the Denali caribou herd.
Boertje, R. D. 1981. — M. S. Thesis, Univ. of Alaska, Fairbanks, pp. 294.
 An energy model for adult female caribou of the Denali herd, Alaska.
Boertje, R. D. 1985. — *Journal for range management Denver, Col., Soc. for Range management,* 38(5):468-473.
 Cestodes of reindeer (*Rangifer tarandus platyrhyncus* Vrolik) on the Arctic islands of Svalbard.
Bye, K. 1985. — *Can. J. Zool.* 63(12):2885-2887.
- C.**
 Caribou distribution on the forested winter range northwest of Great Bear lake in relation to snow, habitat and seismic activities.
Carruthers, D. R. & Sopuck, L. G. 1982. — *Ren. Resources Consult. Serv. prepared for Petro-Canada, Calgary,* 82 pp.
 Influence of genetic variability and maternal factors on fetal growth in white-tailed deer.
Cothran, E. G., Chesser, R. K., Smith, M. H. & Johns, P. F. 1983. — *Evolution* 37:289-291.
 Factors influencing local movements and behaviour of barren-ground caribou (*Rangifer tarandus granti*).
Curatolo, J. A. 1975. — M. S. Thesis, Univ. Alaska, Fairbanks.
- D.**
 Natural mortality of Western Arctic caribou.
Davis, J. K. & Valkenburg, P. 1982. — *Alaska Dep. Fish and Game, Fed. Aid. Wildl. Proj. Progr. Rept. No. W-17-11. Juneau.* 23 pp.
 Linkage of the reindeer and alate prothorax loci and sex differences in recombination frequency in linkage group IX of *Tribolium castaneum*.
Dawson, P. S. & Berends, K. L. 1985. — *Can. J. Genet. Cytol.* 27(3):276-278.
- E.**
 Svalbardreins ernæring.
 (The nutrition of the Svalbard reindeer)
Ekern, K. & Kildemo, K. 1978. — *Hovedoppgave ved Norges Landbrukshøgskole.* 130 pp.
 Skeletal-muscle characteristics of reindeer (*Rangifer tarandus* L).
Essén-Gustavsson, B. & Rehbinder, C. — *Comp. Biochem. and Physiol.* 82(3):675-679.
- F.**
 Vekst og kondisjonsendringar hos villrein (*Rangifer tarandus tarandus*) på Hardangervidda.
Fagerhaug, A. 1973. — Thesis, Univ. Trondheim. 58 pp.

- Energy expenditures by caribou while cratering in snow.
- Fancy, S. & White, R. G.** 1985. — J. Wildl. Manage. 49(4):987-993.
- Characteristics of three barren-ground caribou calving grounds in the Northwest Territories.
- Fleck, E. S. & Gunn, A.** 1982. — NWT Wildl. Serv. Progr. Rept. No. 6. 158 pp.
- G.**
- Rangiferine brucellosis in a muskox.
- Gates, C. C., Wobeser, G. & Forbes, L. B.** 1984. — J. Wildl. Diseases 20(3):233-234.
- Botulism in Canada. Caribou meat as a source of poisoning.
- Gauvreau, L.** 1985. — Can. Medic. Ass. J. 133(8):774-774.
- Ultrastructure of the cysts of *Sarcocystis hardangeri* from skeletal muscle of reindeer (*Rangifer tarandus tarandus*).
- Gjerde, B.** 1985. — Can. J. Zool. 63(11):2676-2683.
- Ultrastructure of the cysts of *Sarcocystis rangiferi* from skeletal muscle of reindeer (*Rangifer tarandus tarandus*).
- Gjerde, B.** 1985. — Can. J. Zool. 63(11):2669-2675.
- Ultrastructure of the cysts of *Sarcocystis tarandi* from skeletal muscle of reindeer (*Rangifer tarandus tarandus*).
- Gjerde, B.** 1985. — Can. J. Zool. 63(12):2913-2918.
- Parelaphostrongylus odocoilei* (Nematoda, Protostrongylidae) and a protostrongylid nematode in woodland caribou (*Rangifer tarandus caribou*) of Alberta, Canada.
- Gray, J. B. & Samuel, W. M.** 1986. — J. of Wildl. Dis. 22(1):48-50.
- H.**
- Taxonomy and history of arctic island reindeer with special reference to Svalbard reindeer.
- Hakala, A. V. K., Staland, H., Pulliainen, E. & Røed, K. H.** 1985. — Aqiolo Ser. Zool. 23:1-11.
- Parasitter i polare områder.
- Halvorsen, O., Bye, K. & Skorping, A.** 1982. — Forskningsnytt 27(7/8):44-46.
- Observations of group size composition of the wild forest reindeer (*Rangifer tarandus fennicus* Lønbn.) during calving and summer periods in eastern Finland.
- Seasonal cycles in the output of 1st-stage larvae of the nematode *Elaphostrongylus rangiferi* from reindeer.
- Halvorsen, O., Skorping, A. & Hansen, K.** 1985. — Polar Biology 5(1):49-54.
- Helle, T.** 1980. — Aquila ser. Zool. 19. In: Universitates Oulensis ser A. Scientiae rerum naturalium 107 biologica no. 12.
- Lichen species preference by reindeer.
- Holleman, D. F. & Luick, J. R.** 1977. — Can. J. Zool. 55:1368-1369.
- I.**
- Comparative studies on the polysaccharides of *Cladonia alpestris* (reindeer moss), *Cladonia confusa* and *Cladonia amaurocraea*.
- Iacomini, M., Schneider, C. L. & Gorin, P. A. J.** 1985. — Carbohydrate Research 142(2):237-251.
- J.**
- Mating system and sexual dimorphism in large, terrestrial mammalian herbivores.
- Jarman, P.** 1983. — Biol. Rev. 58:485-520.
- Vascular basis for regulation of nasal heat-exchange in reindeer.
- Johnsen, H. K., Blix, A. S., Jørgensen, L. & Mercer, J. B.** 1985. — Amer. J. Physiol. 249(5):617-623.
- K.**
- Disease patterns in the Detroit Zoo, Royal Oak, Michigan, U.S.A. A study of the mammalian population from 1973 through 1983.
- Kaneene, J. B., Taylor, R. F., Sikarskie, J. G., Meyer, T. J. & Richter, N. A.** 1985. — Am. Vet. Med. Ass. 187(11):1166-1169.
- Factors influencing forage quality for reindeer and caribou.
- Klein, D. R.** 1982. — In: Peek, J. M. & Dalke, P. D. (Eds.), Wildlife-livestock relationships Symp. 10:383-393. Univ. Idaho. Moscow.
- Emä-vasasuhteesta hirvieläimillä.
(The mother-calf relationship in Cervidae).
- Kojola, I. & Nieminen, M.** 1985. — Suomen Riista 32:74-89. (In Finnish with a comprehensive summary in English).
- Olfactory recognition between mother and calf in reindeer (*Rangifer tarandus* L.).
- Källquist, L. & Mossing, T.** 1982. — Appl. Anim. Ethology 8:561-565.
- L.**
- On the hormonal-regulation of lipolysis in isolated reindeer adipocytes.
- Larsen, T. S. & Nilssen, K. J.** 1985. — Acta Physiol. Scand. 125(3):547-552.
- Seasonal changes in hormone-sensitive lipase activity in adipose-tissue from Norwegian and Svalbard reindeer.
- Larsen, T. S., Nilsson, O. & Belfrage, P.** 1985. — Acta Physiol. Scand. 125(4):735-738.

Simlenes morsegenskaper.

Lenvik, D. 1983. — Reindriftsnytt 17:13-16.

Agronomic, plant ecology and range management studies with perennial grasses proposed for use in revegetation disturbed rangelands along Alaska's transportation corridor.

Luick, J. R. & Blanchard, J. 1979. — In: Reindeer Research 1967-1978. Terminal Rept., Contract No. RLO-2229-T3. J. Luick (Ed.). pp. 121-131.

Tundra disturbance and recovery resulting from offroad vehicle use for summer reindeer herding and a 1974 - 75 winter drilling operation in the northern Seward Peninsula, Alaska.

Luick, J. R. & Racine, C. 1979. — Final Rept. to U. S. Dept. of Interior., pp. 1-69.

M.

The animal-plant complex in forage palatability phenomena.

Marten, G. C. 1978. — J. Anim. Sci. 48: 1470-1477.

Herbivory in relation to plant nitrogen content.

Mattson, E. J. Jr. 1980. — Ann. Rev. Ecol. Syst. 11: 118-161.

What kinds of plants do herbivores really prefer?

Meiorana, V. C. 1978. — Am. nat. 112: 631-635.

Responses of Peary caribou and muskoxen to helicopter harassment.

Miller, F. L. & Gunn, A. 1979. — Can. Wildl. Serv. Occ. Paper No. 40. 90 pp.

Foraging behaviour of caribou in response to springtime snow and ice conditions.

Miller, F. L., Edmonds, E. J. & Gunn, A. 1982. — Can. wildl. Serv. Occ. Paper No. 48. 41 pp.

The effects of age and body size on fertility in female red deer (*Cervus elaphus* L.)

Mitchell, B. & Brown, D. 1974. — XI. Int. Game Biol. Congr. 13E: 89-98.

Seasonal changes in heart rates, activity, metabolism and forage intake of white-tailed deer.

Moen, A. N., 1978. — J. Wildl. Manage. 42: 715-738.

N.

Influence of plant volatile oils on food selection by animals.

Nagy, J. G. & Reglin, W. L. 1977. — Proc. 13th Int. Congr. Game Biol., Atlanta: 225-230.

Hirvieläinten kunto ja kunnan määrittäminen.

(Methods for assessing the nutritional status of Cervidae).

Nieminen, M. 1985. — Suomen Riista 32: 90-110.

Forage «preference», theoretical considerations of diet selection by deer.

Problems in the production and processing of reindeer meat.

Niinivaara, F. P., Petaejae, E., Krol, B., Roon, P. S. & Van Houben, J. H. 1985. — In: Proceedings of the int. symp. Trends in modern meat technology, 30. Oct. — 1. Nov. 1984, Wageningen, Netherlands. pp. 115-120.

Forage «preference», theoretical considerations of diet selection by deer.

Nudds, T. D. 1980. — J. Wildl. Manage. 44: 735-740.

P.

Physical and reproductive characteristics of an expanding caribou population in northern Labrador.

Parker, G. R. 1981. — Can. J. Zool. 59: 1929-1940.

Caribou feeding sites in relation to snow characteristics in northeastern Alaska.

LaPerriere, A. J. & Lent, P. C. 1977. — Arctic 30: 101-108.

The avermectine: New molecules for use in warble fly control.

Preston, J. M. 1984. — In: Warble fly control in Europe: a symposium in the EC Programme of Coordination of Research on Animal Pathology, Brussels, Sept. 1982. Rotterdam: A. A. Balkema, 1984. pp. 17-20.

R.

Mortality of Svalbard reindeer.

Reimers, E. 1983. — Holarctic Ecology 6: 141-149.

Calving time, growth rate and body size of Norwegian reindeer on different ranges.

Reimers, E., Klein, D. R. & Sørungård, R. 1983. — Art. Alp. Res. 15(1):107-118.

The biological basis for the determination of carrying capacity.

Robbins, C. T. 1973. — Ph. D. Thesis, Cornell Univ., Ithaca. 239 pp.

Foetal growth in the reindeer.

Roine, K., Nieminen, M. & Timisjärvi, J. 1982. — Acta, Vet. Scand. 23:107-117.

Transferrin variability and founder effect in Iceland reindeer, *Rangifer tarandus* L.

Røed, K. H., Soldal, A. V. & Thórisson, S. 1985. — Hereditas, 103(2):161-164.

Comparison of the genetic variation in Svalbard and Norwegian reindeer.

Røed, K. H. 1985. — Can. J. Zool. 63(9):2038-2042.

The reindeer lichens (*Cladonia*, Subg. *Cladina*) in Wallroth Herbarium, Strasburg.

Ruoss, E. & Ahti, T. 1985. — Nova Hedwigia 41(1-4):147-158.